District I 1625 N. French Dr., Hobbs, NM 88240

State of New Mexico RECEIVING Minerals and Natural Resources

Form C-144 June 1, 2004

District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

NA Prencio District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

NA Prencio District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Santa Fe, NM 87505 Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

#### Pit or Below-Grade Tank Registration or Closure gered by a "general plan" Ves

Is pit or below-grade to Type of action: Registration of a pit of		rade tank XX	
Operator Melrose Operating Company Telephone:432 60 Address:c/o Box 953, Midland, TX 79702	-0918	or.net Sec 13 T22S R35E	
Facility or well name:Cone Jalmat Yates Pool Unit, Well #130		Std 131225R352	
County:Lea Latitude:3_ Longitude:1 N	AD: 1927 X 1983		
Surface Owner: Federal State Private x Indian			
Pit	Below-grade tank		
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:		
Workover ☐ Emergency ☐	Construction material:		
Lined X Unlined 🔲	Double-walled, with leak detection? Yes   If not, explain why not.		
Liner type: Synthetic X Thickness_12_mil Clay			
Pit Volume: 3000			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more X	( 0 points)	
V	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	No X	( 0 points)	
water source, or less than 1000 feet from all other water sources.)	110	( o possibly	
n	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more X	( 0 points)	
	Ranking Score (Total Points) 0		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	2	ate disposal location: (check the onsite box if you	
are burying in place) onsite offsite I foffsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No		n. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excava	ations.		
Additional Comments: Drilling Pit. Diagram attached.	- Ficul		
		,	
	MAY 1.5.2	800	
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guideli		the above-described pit or below-grade tank ternative OCD-approved plan □.	
Date: 5-8-08			
Printed Name/Title Ann E. Ritchie Signature	ann to Rotchie		
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or	
Approval: Printed Name/TriBC DISTRICT SUPERVISOR/GENERAL MA	NAGFignature Chris Welle	em Date: 5/21/000	

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
t. Operator:MELROSE OPERATING COOGRID #:184860
Address:20333 State Highway 249, Suite 310, Houston TX 77077
Facility or well name:CONE JALMAT YATES POOL UNIT #130
API Number:30-025-38918OCD Permit Number:
U/L or Qtr/Qtr         N         Section         13         Township         22S         Range         35E         County:         LEA
Center of Proposed Design: Latitude32.389695 Longitude103.314554 NAD: X 1927
Surface Owner:  Federal  State X Private  Tribal Trust or Indian Allotment
Z. X Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: X Drilling  Workover  Permanent Emergency Cavitation P&A  X Lined Unlined Liner type: Thickness 20_mil X LLDPE HDPE PVC Other  X String-Reinforced  Liner Seams: Welded X Factory Other Volume: 3000_bbl Dimensions: L_85'_x W_85'_x D_5'_  3.
☐ Closed-loop System:       Subsection H of 19.15.17.11 NMAC         Type of Operation:       ☐ P&A       ☐ Drilling a new well       ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)         ☐ Drying Pad       ☐ Above Ground Steel Tanks       ☐ Haul-off Bins       ☐ Other
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
Liner Seams:  Welded Factory Other
4.  Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume:
Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thickness mil
5.  Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6.				
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet				
X Alternate. Please specify_4' HIGH, 10 GAUGE, FIELD FENCE, 6" x 6" SQUARE PATTERN w/Tee Post EVERY 10', BARB WIRE ON TOP_				
7.				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8.				
Signs: Subsection C of 19.15.17.11 NMAC  X 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Signed in compliance with 19.15.3.103 NMAC				
Signed in compniance with 19.19.5.105 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval. ng pads or			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes X No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes X No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes X No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)	☐ Yes X No ☐ NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes X No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	16374 110			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes X No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes X No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes X No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes X No			
Within a 100-year floodplain FEMA map	☐ Yes X No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are				
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
X Previously Approved Design (attach copy of design) API Number:30-025-38921 or Permit Number:				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API Number:				
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use				
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC   Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.   Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Preeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: X Drilling  Workover  Emergency  Cavitation  P&A Permanent Pit  Below-grade Tank  Closed-loop System  Alternative  Proposed Closure Method:  Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  X On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial X On-site Trench Burial  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  X Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Disposal Facility Name:	Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please indentify the facility or facilities for the disposal of liquids, dr	eel Tanks or Haul-off Bins Only: (19.15.17.13.D illing fluids and drill cuttings. Use attachment if n	NMAC) nore than two
Disposal Facility Name:    Disposal Facility Permit Number:	•	Disposal Facility Permit Number	
Will up of the proposed elocad-hop system operations and associated activities occur on or in areast that will not be used for future service and operations?    Yes (if yes, please provide the information below)   No   No and State   No and State			
Required for impacted areas which will not be used for future service and operations:    Soil Backfill and Cover Design Specifications - Inseed upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC   Sites Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC   Sites Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC   Sites Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC   Sites Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC   Sites Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC   Sites Reclamation of Compiler of the State Plan Plan Plan Plan Plan Plan Plan Plan	Will any of the proposed closed-loop system operations and associated activities occ		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compilance in the closure plan. Recommendations of acceptable source material are provided below. Requests requiring changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which may be absoluted to the Santa Fe Environmental Bareau office for consideration of approval. Instifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.  Ground water is less than 50 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Ground water is between 50 and 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary liph-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site within neon-protect dunticals both orizontal feet of any other fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less than five households u	Soil Backfill and Cover Design Specifications based upon the appropriate r Re-vegetation Plan - based upon the appropriate requirements of Subsection I	equirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC	· · · · · · · · · · · · · · · · · · ·
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Ground water is between 50 and 100 feet below the bottom of the buried waste  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site, Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fiesh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well or spring, in existence at the time of initial application.  Within an outpatible of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within an unstable area.  Engineering measures incorporated into the design, NM Burcau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain.  FEMA map    Ves X No   Yes	Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the comprovided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental Associations.	administrative approval from the appropriate distr Bureau office for consideration of approval. Justij	ict office or may be
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Within 500 feet of a wetland.  Within 500 feet of a wetland.  Within an Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within in the area overlying a subsurface mine.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological  FEMA map    Yes X No   Yes X		obtained from nearby wells	
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well or the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Witten confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within an unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain.  FEMA map  Within 100-year floodplain.  Pease indicate, by a check mark in the box, that the documents are attached.  X Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.10 NMAC  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  X Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Onstruction/Design Plan of Temporary Plit (for in-place buried of a dr		obtained from nearby wells	=
lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Within encorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Within a unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain.  FEMA map  Within a 100-year floodplain.  FEMA map  Within the box, that the documents are attached.  X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC  X Proof of Surface Owner Notice -		obtained from nearby wells	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Within on NMSA 1978, Section 3-27-3, as amended.  Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain.  FEMA map  IN.  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  X Soil Cover Design - bas	lake (measured from the ordinary high-water mark).	ficant watercourse or lakebed, sinkhole, or playa	Yes X No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain.  - FEMA map  18.  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  X Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  X Soil Cover Design - based upon the appropriate r	Within 300 feet from a permanent residence, school, hospital, institution, or church i  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite i	n existence at the time of initial application.  mage	☐ Yes X No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Witten confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Wittin the area overlying a subsurface mine.  Wittin an unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain.  FEMA map  Within a 100-year floodplain.  FEMA map  Within a 100-year floodplain.  Society Topographic map  Within a 100-year floodplain.  Within a 100-year floodplain.  FEMA map  Within a 100-year floodplain.  FEMA map  Within a 100-year floodplain.  FEMA map  Within a 100-year floodplain.  Within a 100-	watering purposes, or within 1000 horizontal feet of any other fresh water well or spi	ring, in existence at the time of initial application.	Yes X No
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain.  FEMA map  We yes X No  Please indicate, by a check mark in the box, that the documents are attached.  X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  X Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes X No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain.  - FEMA map    Yes X No		inspection (certification) of the proposed site	☐ Yes X No
Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological  Within a 100-year floodplain.  FEMA map  Wes X No  Please indicate, by a check mark in the box, that the documents are attached.  X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC  X Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  X Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining a	and Mineral Division	Yes X No
18.  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  X Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	- Engineering measures incorporated into the design; NM Bureau of Geology	& Mineral Resources; USGS; NM Geological	☐ Yes X No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  X Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  X Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			Yes X No
	<ul> <li>On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.</li> <li>X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of St. X Construction/Design Plan of Burial Trench (if applicable) based upon the approximate construction/Design Plan of Temporary Pit (for in-place burial of a drying pact X Protocols and Procedures - based upon the appropriate requirements of 19.15.1 X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of St. X Disposal Facility Name and Permit Number (for liquids, drilling fluids and dri X Soil Cover Design - based upon the appropriate requirements of Subsection H</li> </ul>	rements of 19.15.17.10 NMAC absection F of 19.15.17.13 NMAC ropriate requirements of 19.15.17.11 NMAC b) - based upon the appropriate requirements of 19.1 7.13 NMAC rements of Subsection F of 19.15.17.13 NMAC absection F of 19.15.17.13 NMAC cuttings or in case on-site closure standards cannot of 19.15.17.13 NMAC	5.17.11 NMAC

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	
Name (Print):Billy C. Robbins Title:Production Forman	
Signature: Belly Cholifa Date: 5/8/08	
e-mail address:maximum@valornet.com Telephone:575-390-4666	
20.	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) CCD Conditions (see attachment)	
OCD Representative Signature: 900 Jeoffray Larmo Approval Date: 06/03/10	-
OCD Representative Signature: 94eoffray Laring  Title: Environmental Engineer OCD Permit Number: P1- D2D5)	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:	rt.
22.  Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.	<b>!</b>
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more the two facilities were utilized.	han
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	_
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No	
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a checklist.	k
mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude Longitude NAD: 1927 1983	
25. Operator Closure Cartification:	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print):	
belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	-



May 19, 2010

Melrose Operating Company 1000 W. Wilshire, Suite 223 Oklahoma City, OK 73116

Attn: Mr. Cam Robbins Production Supervisor

RE: Work Plan For Pit Closure Located at Cone Jalmat Field Pool, Unit # 130; U/L N Sec 13-T22S and R35E, API #30-025-38918 of Lea County, New Mexico

Dear Mr. Robbins:

Blade Services LLC, Inc. would like to take this time to thank you and Melrose Operating Co., for the opportunity to provide our professional services. Attached you will find our work plan and cost for the above listed site.

If you have any questions and/or need more data in regards to projects please call at any time. You can reach me at 575-390-5004

Sincerely,

Rick Navarrette, Sr. Project Manager Blade Services LLC

#### Summary/Overview

The Cone Jalmat Yates Pool unit site should be completed and remediated in accordance with the standards of the NMOCD. Pit closure of the temporary drilling pit will be addressed accordingly.

The potential contaminates of concern are mid to high-level concentrations of production water and drill cuttings circulated into a temporary drilling pit from well bore.

The lands primary use is domestic pasture for ranching and the production of oil and gas.

The USGS-OCD water map for this area shows the depth to ground water to be in the 230' range BGS.

Pursuant to the standards of the NMOCD, the clean up level for this site will be at <5,000ppm of TPH, <50ppm for BTEX and chlorides less than <500ppm.

The following scope of work was based on data from our site visit and the requirements of the NMOCD for site clean up.

### Scope of Work for Entombment and site reclamation

**Note**: Melrose Operating Co. has requested for Blade Services, LLC., to remove and remediate reserve pit drill cuttings for pit closure. Melrose has also requested that Blade Services submit a copy of results and reclamation plan to NMOCD for entombment of impacted soils.

- ✓ First Blade Services will call One-Call for line spot clearance before any excavation at the site is started.
- ✓ Blade Services will mobilize to the site located in the area Southwest of Eunice, NM equipment and personnel necessary to start and complete the site remediation as required to get the site back into compliance.

- ✓ Blade Services will have Ricky Navarrette delineate the site vertical and horizontal for chloride's to determine the extent of impacted soil. Samples will then be sent to Trace Analysis lab for analysis. Once analysis are sent back with the results NMOCD will then be contacted for approval before any capping or pit closure is resumed. Due to the size of reserve pit, Blade Services will split the site into four quadrants testing 25% of impacted soils including a center sample collecting at a minimum, a five point, composite sample for both waste and underlying soils. Blade Services will test the vertical; starting one foot from mud removal into deep bury pit.
- ✓ Blade Services LLC., will then start excavation of impacted soil for onsite deep bury pit. Impacted soils will then be mixed on a 3 to 1 ratio, then taking a grab sample from mixture and taking sample to Trace Analysis for a paint filtration testing method. Once method is determined that mixture has passed and approved by OCD. Mixture will then be placed in an approved reinforced 20ml poly liner from West Texas plastics for entombment. The entombment pit will be approximately 100x40x20 foot deep; which will hold 2,900 cubic yards of material. Once all contents are placed in entombment pit; Blade Services will cap pit with an approved 20ml poly liner from West Texas Plastics. Then pit will be backfilled so that contents are 4 foot below ground level.
- ✓ Blade Services will have Ricky Navarrette field screen the site during the excavation and once the levels have dropped below NMOCD guidelines, final samples will be personally taken to Trace Analysis lab for analysis.
- ✓ If site does not clear NMOCD guidelines on the 3 to 1 mix ratio; this will be determined with a paint filter testing method at Trace Analysis. Blade Services will then submit a request for waste removal to the NMOCD office. Then waste material will be transferred to (Sundance Disposal) or and approved NMOCD disposal site.
- ✓ Once all of the remediation criteria have been met for site closure and compliance, the site will be backfilled with clean material from the site. The site will be contoured with a slight crown to prevent the ponding of any rain water and reseeded; with the proper seed according to the NMOCD. Vegetative cover will equal 70% of the native perennial vegetative cover consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and

maintain that cover through two successive growing seasons or until successful growth is established.

- ✓ Trench burial pit will be marked by an approved steel maker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker will be flushed with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel plate 12" square that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information. The operator's information will include the following: Operator name, ease name, well name and number, unit number, section, township, range and an indicator that the marker is an onsite burial location.
- ✓ Once all of the closure criteria have been met, a final closure report will be prepared by Blade Services. This report will include a summary of remediation operations, findings on-site and lab analysis, site maps and project photos.

If you have any questions and/or need more data in regards to this project please call 575-390-5004 at any time.


Sincerely,

Rick Navarrette, Sr. Project Manager Blade Services LLC.

# **Temporary Drilling Pit On-Site Closure Notice**

Associated with Oil Well: Cone Jalmat Yates Pool Unit 130

In accordance with the New Mexico Oil conservation Commission "Pit" Rule (19.15.17 NMAC), Melrose Operating Inc, 1000 W Wilshire Suite 223, Oklahoma City, Ok 73116, is herby giving the surface owner (State of New Mexico) notice of the on-site closure for a proposed temporary drilling pit. Melrose Operating is proposing to submit in their application for a temporary drilling pit with the on-site closure method of On-Site Trench Burial. The proposed temporary pit will be associated with the proposed oil well (Cone Jalmat Yates Pool Unit 130), located in the NE/4 of the NE/4 Section 23, Township 22 South, Range 35 East of Lea County New Mexico. The temporary pit volume will be approximately 100x40x20 feet deep (with as approximate volume of 2,900 cubic yards). The in-place burial method will allow for the waste material to remain in place at the temporary pit. However, the waste material will be tested and must meet regulatory standards prior to closure. Also, the liquids must be removed prior to closure. The temporary pit closure must follow regulatory specification for the cover design, revegetation, site reclamation and burial marker (steel). In addition, no person shall build permanent structures over an on-site burial without written approval from the New Mexico Oil Conservation Division's (OCD) Hobbs district office. No person shall remove the on-site burial marker without the OCD's written permission. If the waste material does not meet the specific regulatory standards, the material will be removed and disposed of at a New Mexico Oil Conservation Division approved facility. The application will be submitted to the New Mexico Oil Conservation Division, Hobbs District Office at 1625 N French DR, Hobbs New Mexico 88240, Telephone (575)393-6161.



Well W 103.19,24.1 Elu. 3554