

Submit 3 Copies To Appropriate District

Office

District I

1625 N. French Dr., Hobbs, NM 87240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Minerals and Natural Resources

Form C-103

May 27, 2004

RECEIVED

SEP 10 2010

HOBBSOCD

CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-11384

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Hodges B

8. Well Number

4

9. OGRID Number

16696

10. Pool name or Wildcat

Justis Blinbry

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒

Gas Well ☐

Other ☐

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

4. Well Location

Unit Letter M: 990 feet from the south line and 660 feet from the west line

Section 1

Township 25S

Range 37E

NMPM

County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3116' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state a brief description of starting any proposed work). SEE RULE 1103. For M... operations: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

The Oil Conservation Division **Must be notified** 24 hours prior to the beginning of plugging operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 9/13/10

Type or print name David Stewart

E-mail address: david_stewart@oxy.com Telephone No. 432-685-5717

For State Use Only

APPROVED BY [Signature] TITLE STAFF NAR DATE 9-13-10


Conditions of Approval, if any:

TD-8982' PBTD-3009' Perfs-3126-3244' CIBP-3009'

13-3/8" 48# csg @ 500' w/ 500sx, 17-1/2" hole, TOC-Surf-Circ
9-5/8" 36# csg @ 3399' w/ 2750sx, 12-1/4" hole, TOC-Surf-Circ
7" 26# csg @ 7250' w/ 500sx, 8-3/4" hole, TOC-5550'-TS

1. RIH & tag CIBP @ 3009', M&P 25sx cmt
2. Perf @ 2550' sqz 50sx cmt to 2450' WOC-Tag
3. Perf @ 550' sqz 230sx cmt to Surface
10# MLF between plugs

OXY USA Inc. - Current
Hodges B #4
API No. 30-025-11384



OXY USA Inc. - Proposed
Hodges B #4
API No. 30-025-11384

230sx @ 550'-Surface

50sx @ 2550-2450' WOC-Tag

25sx @ 3009'

2005-CIBP @ 3009'

2005-CIBP @ 3475' w/ 2sx

94-CIBP @ 4995'

74-CIBP @ 6069' w/ 10sx to 6008'

74-CIBP @ 6311' w/ 10sx to 6260'


3/62-25sx @ 7550-7470

3/62-25sx @ 8500-8420'

3/62-25sx @ 8982-8900'

PB-7206'

TD-8982'



Perf @ 550'

17-1/2" hole @ 500'
13-3/8" csg @ 500'
w/ 500sx-TOC-Surf-Circ

Perf @ 2550'

2005-Perfs @ 3126-3244'

12-1/4" hole @ 3400'
9-5/8" csg @ 3399'
w/ 2750sx-TOC-Surf-Circ

74-Perf @ 5048' sqz w/ 100sx-TOC-2895'-CBL
74-Perfs @ 5048-5671'
74-Perf @ 5500' & 5540'sqz w/ Total 450sx

Perfs @ 6099-6132'

Perfs @ 7010-7146'

8-3/4" hole @ 8982'
7" csg @ 7250'
w/ 500sx-TOC-5550'-TS