

Submit 1 Copy To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
October 13, 2009

Amended

WELL API NO.	30-025-36450
5. Indicate Type of Lease	STATE ☐ FEE ☒
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Trinity Burrus Abo Unit
8. Well Number	18
9. OGRID Number	147179
10. Pool name or Wildcat	Trinity; Wolfcamp
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	3789' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other Injection ☐

2. Name of Operator
Chesapeake Operating, Inc. ✓

3. Address of Operator
P.O. Box 18496
Oklahoma City, OK 73154

4. Well Location

Unit Letter J : 1650' feet from the South line and 2200' feet from the East line

Section 23 Township 12S Range 38E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P. AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Clean Out Fill/Run MIT ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please find work performed on this well from 12/06/2010 through 12/16/2010:
MIRU well service. NDWH/NUBOP. Release packer. POOH w/tbg. Clean out fill and work through to 9186'. TIH & reset packer and change seals on tbg as needed. NDBOP/NUWH. Notified Mr. Maxey Brown w/NMOCD to witness MIT. Loaded hole w/1 bbl to 500#. Held for 30 minutes w/no pressure loss. Tested good. Mr. Brown witnessed. RDMO. Packer is set @ 9096'. Top perms are 9150'.
Please find well bore diagram and chart.

RECEIVED

DEC 22 2010

HOBBSOCD

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bryan Arrant TITLE Sr. Regulatory Compl. Sp. DATE 12/22/2010

Type or print name Bryan Arrant E-mail address: bryan.arrant@chk.com PHONE: (405)935-3782

For State Use Only

APPROVED BY Larry W. Hill TITLE DISTRICT 1 SUPERVISOR DATE DEC 23 2010

Conditions of Approval (if any):



BLM Schematic

TBAU 18

CONFIDENTIAL

Field: TRINITY
County: LEA
State: NEW MEXICO
Location: SEC 23, 12S-38E, 1650 FSL & 2200 FEL
Elevation: GL 3,789.0 KB 3,808.0
KB Height: 19.0

Spud Date: 1/26/2004
Initial Compl. Date:
API #: 3002536450
CHK Property #: 890901
1st Prod Date: 9/1/2003
PBDT: Original Hole - 9710.0
TD: 9,800.0



