

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-01810
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. Lease Name or Unit Agreement Name A. T. Hutcherson
2. Name of Operator Western Reserves Oil Company Inc.	8. Well No. 2
3. Address of Operator P. O. Box 993, Midland, TX 79702	9. Pool name or Wildcat Jenkins, NW (San Andres)
4. Well Location Unit Letter A : 660 Feet From The north Line and 660 Feet From The east Line Section 9 Township 9S Range 34E NMPM Lea County	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4257 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>
	OTHER: Commence Reentry Operations <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.
- 4-13-92: MIRUSU & drill out surface plug at approx 65'. Clean out to 2,382' w/ 7 7/8" bit. SDON.
- 4-14-92: Continue cleaning out hole w/7 7/8" bit. Drilled out 35 sack cement plug @ 4,050'. Continue cleaning out hole to 4435'. SDON.
- 4-15-92: Cleaned out hole to 4761'. TOH w/drill string. Run 123 joints 5 1/2" 15.50# & 17# casing. Ran 4,752' overall, set at 4750'. Cement w/250 sacks 50/50 Pozmix (Premium Plus) containing 2/10% Halad 9 & 3 lbs per sack KCl. Plug down 8:40 pm CST 4-15-92.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Christopher P. Renaud TITLE Engineer DATE 4-16-92
(915)

TYPE OR PRINT NAME Christopher P. Renaud TELEPHONE NO. 685-3211

(This space for State Use)

APPROVED BY APR 20 '92 TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: