
INVOICE

MAYO MARRS CASING PULLING INC.
BOX 863 KERMIT, TEXAS 79745

INVOICE

NEW MEXICO OCD
1000 W. BROADWAY
P.O. BOX 1980
HOBBS, NM 88240
ATTN: CHRIS WILLIAMS

INVOICE # 98-8

Lease: SANTA FE PACIFIC
WELL # 8
Project: P & A

OPERATOR: METEOR DEVELOPMENTS, INC.

DATE 9-17-98

PRICE PER SUPPLEMENTAL BID:

REVERSE UNIT @ \$800/1ST DAY;\$400/2ND DAY	\$	1,200.00
MOVE IN - MOVE OUT CHARGE	\$	650.00
146 HRS RIG TIME @ \$ 120.00/HR	\$	17,520.00
1627 SXS CEMENT @ \$ 12.00/SACK	\$	19,524.00
26 PUMP CHARGES @ \$ 350/.00/	\$	9,100.00
4 HRS BACKHOE @ \$ 50.00/HR	\$	200.00
5 HRS WELDER @ \$ 40.00/HR	\$	200.00
80 BBLs BRINE @ \$.50/BBL	\$	40.00
2860 BBLs FRESH WATER @ \$.25/BBL	\$	715.00
60 SXS GEL @ \$ 8.50/SACK	\$	510.00
22 HRS WATER TRUCK @ \$ 75.00/HR	\$	1,650.00
RENTAL ON BOP & FLANGE	\$	300.00
RENTAL ON 4,356 WORKSTRING @ \$.10/FT	\$	435.60
1 - 3 1/8" BIT	\$	250.00
54 JOINTS TUBING(1674') @ \$ 1.40/FT	\$	2,343.60
84 SACKS LOST CIRCULATION MATERIAL(LCM)	\$	714.00
2 SXS PAC-R	\$	300.00
10 SXS CACL	\$	550.00
6 YARDS GRAVEL	\$	339.60
1 - BIT SUB	\$	275.00
5 SXS SAND	\$	30.00
WIRELINE TO TAG	\$	150.00

USED WELLHEAD

SUB-TOTAL	\$	56,996.80
CREDIT	-	100.00
TOTAL DUE	\$	56,896.80

MAYO MARRS CASING PULLING INC.
FIELD REPORT

NEW MEXICO OCD
ATTN: CHRIS WILLIAMS

Lease: SANTA FE PACIFIC
WELL # 8 Unit R
Project: P & A

30-025-03595
OPERATOR: METEOR DEVELOPMENTS, INC.
23-99-36e 1650/S & 1650/W
DATE 10-05-98

9-14-98

MIRU - NUBOP - CLOSE IN WELL -
(2-HRS)

9-15-98

RIH WITH TBG & 3 1/8" BIT - TAG JUNK @ 2800' - RIG UP REVERSE UNIT -
START DRILLING - DRILL FROM 2835'-2992' - POOH TO 2800' - CLOSE IN
(12-HRS)

9-16-98

RIH WITH TBG - START DRILLING @ 2992' - HIT BRIDGE @ 3050' DRILL TO
4356' - POOH - 4 1/2" CASING WRAPPED AROUND TBG - LEFT 35 JNTS TBG,
BIT & SUB IN HOLE - TOTAL 39 JNTS TBG RUINED - CLOSE IN
(11-HRS)

9-17-98

RIH WITH TBG OPEN ENDED TO 2960' - SPOT 300 SXS DISPLACE WITH 50
BBLs - WOC 4 HRS - NO TAG @ 2960' - SPOT 300 SXS - DISPLACE WITH 40
BBLs - POOH TO 2500' - CLOSE IN
(11-HRS)

9-18-98

LOWER TBG - NO TAG - SPOT 300 SXS @ 2960' - DISPLACE WITH 20 BBLs -
WOC 4 HRS - NO TAG - SPOT 100 SXS @ 2960' - POOH TO 2500' - CLOSE IN
(7-HRS)

9-21-98

RIH WITH TBG - NO TAG - MIX 3 SXS LCM AND 100 SXS CEMENT @ 2960' -
POOH-WOC 4 HRS - NO TAG - RIH - SPOT 5 SXS LCM & 50 SXS CEMENT @
2960' - POOH - (11-HRS)

9-22-98

NO TAG - POOH WITH TBG TO CHECK FLUID LEVEL - NO FLUID IN HOLE - RIH
WITH TBG TO 2900' - SPOT 10 SXS LCM - POOH WITH 1 STAND - SPOT 25
SXS @ 2840' - POOH - WOC 4 HRS - NO TAG - RIH WITH TBG TO 300' - SPOT
3 SXS LCM & 25 SXS CEMENT WITH 4% CACL - WOC 3 1/2 HRS - NO TAG -
MIX 5 SXS LCM & 35 SXS CEMENT - POOH - CLOSE IN (13-HRS)

9-23-98
RIH WITH TBG TO 2900' - NO TAG - POOH WITH TBG TO 2000' - SPOT 25
SXS CEMENT W/4% CACL - POOH - WOC 3 1/2 HRS - NO TAG - POOH WITH TBG
TRY TO CREATE BRIDGE WITH ROCKS, PAPER, WOOD PLASTIC, POLY - PIPE ETC.
RIH WITH TBG TO 2800' - SPOT 15 SXS W4% CACL - POOH - WOC - RIH WITH
WIRELINE - NO TAG - DROP WOOD, PAPER ETC. - RIH WITH TBG TO 2700' -
SPOT 15 SXS W/4 % CACL - POOH - CLOSE IN WELL
(12-HRS)

9-24-98
RIH WITH WIRELINE - NO TAG - DROP ROCKS, WOOD ETC. - RIH WITH TBG TO
2929' - SPOT 5 SXS SAND - SPOT 15 SXS CEMENT - 4% - POOH - WOC - RIH
WITH TBG TO 2866' - PUMP 20 BBLs WATER & 25 SXS CEMENT -4%- POOH -
(12-HRS)

9-25-98
RIH WITH WIRELINE - NO TAG - RIH WITH TBG TO 2500' - SPOT 25 SXS -4%
POOH - WOC - RIH WITH TBG - TAG SOMETHING @ 2929' - SPOT 25 SXS -4%-
POOH - CLOSE IN WELL
(11-HRS)

9-28-98
RIH WITH TBG - NO TAG - POOH TO 1500' - SPOT 15 SXS LCM - WOC 30
MINUTES - SPOT 10 SXS LCM - WOC 30 MIN. - SPOT 13 SXS SALT GEL &
1/2 SXS PAC-R - SPOT 15 SXS CMT - WOC - SPOT 4 SXS SALT GEL 1/2 SX
PAC-R - WOC - SPOT 7 SXS LCM - SPOT 15 SXS CMT -4%- POOH -WELD ON
CAP ON BOTTOM OF TBG - LOAD TBG WITH CMT 12 SXS - WELD PLATE AROUND
TOP JOINT - LOWER TBG TO 2929' - BACK OFF TBG - LEAVE 15 JOINTS IN
WELL RAISE TBG TO 1000' - MIX 2 SXS LCM - SPOT 20 SXS CMT -4%- POOH
(10-HRS)

9-29-98
RIH WITH TBG - TAG @ 2740' - POOH TO 2700' - SPOT 5 SXS LCM - 15 SXS
CEMENT - - POOH - WOC - TAG WITH WIRELINE @ 2700' - RIH WITH TBG 70
2700' - SPOT 6 SXS LCM - SPOT 25 SXS CEMENT -4%- POOH - WOC - TAG
WITH WIRELINE @ 2567' - RIH WITH TBG TO 2500' - TRY TO LOAD HOLE -
HOLE WENT ON VACCUM - POOH WITH TBG - FLUID WAS @ 1500' ON TBG -
LOWER TBG TO 1500' - SPOT 6 SXS LCM - SPOT 25 SXS CEMENT -4%- POOH
(12-HRS)

9-30-98
TAG WITH WIRELINE @ 2560' - NDBOP - SPOT 6 YARDS GRAVEL DOWN CASING
- RIH WITH TBG & TAG @ 2110' - SPOT 5 SXS LCM - SPOT 15 SXS CMT -4%-
POOH - WOC - RIH WITH TBG & TAG @ 2000' - POOH FLUID ON TBG @ 1800'
RIH TO 1800' - SPOT 2 SXS LCM - SPOT 25 SXS CMT - POOH
(12-HRS)

10-01-98
RIH WITH TBG & TAG @ 1764' - LOAD HOLE WITH MUD(43 SXS GEL) - POOH
TO 481'-SPOT 40 SXS - POOH - WOC 3 HRS - TAG @ 350' - POOH - CUT OFF
WELL HEAD - RIH WITH 1 JOINT - SPOT 40 SXS TO SURFACE - LEAVE CELLAR
FULL - INSTALL DRY HOLE MARKER - RIG DOWN - COVER WORKING PIT & CUT
OFF ANCHORS - MOVE RIG -
(10-HRS)

MAYO MARRS CASING PULLING INC.
PLUGGING REPORT

NEW MEXICO OCD
ATTN: CHRIS WILLIAMS

Lease: SANTA FE PACIFIC
WELL # 8
Project: P & A

OPERATOR: METEOR DEVELOPMENTS, INC.
DATE 10-05-98

9-17-98	300 SXS @ 2960'	
9-17-98	300 SXS @ 2960'	
9-18-98	300 SXS @ 2960'	
9-18-98	100 SXS @ 2960'	
9-21-98	100 SXS @ 2960'	
9-21-98	50 SXS @ 2960'	
9-22-98	25 SXS @ 2840'	
9-22-98	25 SXS @ 300'	
9-22-98	35 SXS @ 300'	
9-23-98	25 SXS @ 2000'	
9-23-98	15 SXS @ 2800'	
9-23-98	15 SXS @ 2700'	
9-24-98	15 SXS @ 2929'	
9-24-98	25 SXS @ 2866'	
9-25-98	25 SXS @ 2500'	
9-25-98	25 SXS @ 2929'	
9-28-98	15 SXS @ 1500'	
9-28-98	15 SXS @ 1500'	
9-28-98	20 SXS @ 1000'	TAG @ 2740'
9-29-98	15 SXS @ 2700'	
9-29-98	25 SXS @ 2700'	TAG @ 2567'
9-29-98	25 SXS @ 1500'	TAG @ 2560'
9-30-98	15 SXS @ 2110'	TAG @ 2000'
9-30-98	25 SXS @ 1800'	TAG @ 1764'
10-01-98	40 SXS @ 481'	TAG @ 350'
10-01-98	40 SXS @ 30'	TAG @ SURFACE

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-03595
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER Salt Water Disposal	7. Lease Name or Unit Agreement Name Santa Fe Pacific
2. Name of Operator Meteor Developments, Inc.	8. Well No. 8
3. Address of Operator 511 16th Street Denver, Colorado 80202	9. Pool name or Wildcat Crossroads Devonion
4. Well Location Unit Letter K : 1650 Feet From The South Line and 1650 Feet From The West Line Section 23 Township 9-S Range 36-E NMPM Lea County	10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4-25-94-Moved in Clarke Well Service. Spotted rig at well. Did not rig up on account of high winds.

4-26-94-Rigged up Clarke Well Service. Pulled and laid down 62 joints of 4 1/2" OD, 11.6#, N-80, LT&C tubing. All pipe was in bad condition from scale and external corrosion. Bottom of bottom joint was eaten in two from external corrosion. Installed tubing hanger flange and master valve. Closed in well and rigged down Clarke Well Service and temporarily abandoned well. Top of tubing in well at approximately 2500 foot depth.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE W.M. Groesbeck TITLE Agent DATE 4-28-94
TYPE OR PRINT NAME W.M. Groesbeck TELEPHONE NO. _____

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

MAY 04 1994

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: