

Copy

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator SUN OIL COMPANY	8. Farm or Lease Name U. D. SAWYER
3. Address of Operator P.O. Box 1861, Midland, Texas 79701	9. Well No. 4
4. Location of Well UNIT LETTER A , 660 FEET FROM THE North LINE AND 660 FEET FROM THE East LINE, SECTION 27 TOWNSHIP 9-S RANGE 36-E NMPM.	10. Field and Pool, or Wildcat Crossroads Devonian
15. Elevation (Show whether DF, RT, GR, etc.) 4027 GR., 4039 DF	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MI-RU, Pulled Pump, Insta 11 BOP
Howco Retainer set at 12060'.
Squeeze Perfs 12085-12100 w/100 Bbls. Injectrol w/ 450 sx. Class H Cement
w/0.5% Halad 9.
Drilled Retainer at 12060' & Firm Cement to 12105' PSTD.
Perforate 12085-12095 w/1 JSPF.
Acidize Perfs w/500 gals. 20% NEHCL.
Set Reda Pump on 2-7/8" Tubing, TS 4580'.
7-3-74 Put Well on Test - Recovering Load Water.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED **Fritz Brandes**, by: **Charles E. Fry** TITLE **Proration** DATE **7-10-74**

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: