


NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES



Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Crosroads, N. M.

March 25, 1949

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the Oil Development Company of
Texas Santa Fe Pacific RR Well No. 1 - 27 in C SW NW
Company or Operator Lease
of Sec. 27, T. 9 S, R. 26 E, N. M. P. M., Crosroads Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Ran 4643.72 ft. of 9 5/8" OD 40# J-55 casing and cemented at 4664 ft. with 2400 sack of HOWCO 4% gel cement. Used HOWCO multiple stage tool; same was set 959.3 ft. above the shoe (3684.42 ft. in the string). Pumped 400 sack in for the first stage followed with 2000 sack for the second stage. Second stage plug down at 2:12 AM March 25, 1949. Used centralizers on the 2nd, 4th, 6th, 8th, 31st and 32 joints. HOWCO ran a caliper survey to ascertain quantity of cement needed.

Plan to allow cement to set about 30 hours and test casing before and after drilling plug; in each case to pressure casing to 1000 psi and allow to stand over 30 minutes.

(The cement circulated when the plug was 400 ft. above the multistage tool.)

Approved _____, 19____
except as follows: MAR 28 1949

Oil Development Company of Texas

Company or Operator

By

Position

Geologist & Engineer

Send communications regarding well to

Name

E. A. Paschal

Address

900 Polk St., Amarillo, Texas

By

Title

OIL CONSERVATION COMMISSION,

OIL & GAS INSPECTOR

