

COUNTY	LEA	FIELD	Crossroads, West	STATE	N.M.	OWWO
OPR	M.W.I. PRODUCING COMPANY	MAP				
1 Federal "A"						
Sec. 31, T-9-S, R-36-E						
2310' fr N Line & 2272' fr W Line of Sec.						
Re-Spud 5-16-64						
CLASS						
P&A	6-4-64	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING						
10 3/4" 435' 385						
7 5/8" 4225' 1275						
5 1/2" lnr 3981-11972' 900						
LOGS EL GR RA IND HC A						
TD 12118'						

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH PB 10700' TYPE
DATE

F.R. 5-14-64; OWWO, OTD 12118'
Orig. Socony Mobil Oil Co., Inc., #1 Federal "A"
P&A 8-24-62
PD 10,700' - Pennsylvanian
5-18-64 TD 12118', CO @ 10900'.
5-25-64 TD 12118', CO to 11000', prep to plug back
Perf 9672-77', 9755-59', 9851-55', 10276-280',
10501-508', 10567-578'
Swbd drlg mud from 10567-578'.
Flwd 20 bbls salt wtr PH from each of the three
upper sets of perfs.
6-1-64 TD 12118', PBD 9000', prep to perf San Andres
Set BP @ 9000'
Perf 8917-27' W/2 SPF
Ac. 500 gals., swbd dry.
Re-Ac. 2500 gals. 8917-27'
Swbd salt wtr @ rate of 10 bbls per hr
Squeezed perfs 8917-27' W/35 sx.

6-8-64 TD 12118', PBD 5000', PLUGGED & ABANDONED.
Set BP @ 5000'
Perf (San Andres) 4877-83' W/2 SPF
Ac. 600 gals.
Swbd 14 bbls wtr per hr, w/scum of oil.

