IZ-18-51      Tate sville, Oklahoma      Place    Date      DateDate <th cols<="" th=""><th>NOTICE OF INTENTION TO DRILL    [IFf: additional field conservation Commission or its proper agent and approval obtained before drilling includes this notice in tripicate. One copy will be returned follow in the proper sector changes will be returned for</th><th>rm C-101</th><th>1</th><th>NEW LXICO (</th><th>DIL CONSERV</th><th>ATION CO</th><th>M SSIO</th><th>N IQIGI</th><th>CTRUTT OF</th><th></th></th>	<th>NOTICE OF INTENTION TO DRILL    [IFf: additional field conservation Commission or its proper agent and approval obtained before drilling includes this notice in tripicate. One copy will be returned follow in the proper sector changes will be returned for</th> <th>rm C-101</th> <th>1</th> <th>NEW LXICO (</th> <th>DIL CONSERV</th> <th>ATION CO</th> <th>M SSIO</th> <th>N IQIGI</th> <th>CTRUTT OF</th> <th></th>	NOTICE OF INTENTION TO DRILL    [IFf: additional field conservation Commission or its proper agent and approval obtained before drilling includes this notice in tripicate. One copy will be returned follow in the proper sector changes will be returned for	rm C-101	1	NEW LXICO (	DIL CONSERV	ATION CO	M SSIO	N IQIGI	CTRUTT OF	
ides must be given to the bil Conservation Commission or its proper agent and approval obtained before drilling must be served. Submit this notice in triplicate, One copy will be returned following supervert changes will be Fuctions in Rules and Regulations of the Commission. Bartlesville, Oklahoma L CONSERVATION COMMISSION, tar Fe, New Mexico, nulemen: Tou are hereby notified that it is our intention to commence the drilling of a well to be known as Phillips Petroleum Company Cross well No. 1 in <u>NE/4</u> Company or Operator Lease Sec. 6 , T 10S R 36E , N. M. P. M. Wildeat Field, Lea County. N The well is <u>1980</u> feet (3CQ (S.) of the Morth line and <u>1980</u> feet (Give location from section or other legal subdivision lines. Cross out wrong directions.) If state land the oil and gas lease is No. E 5676 Assignment No. — If patented land the owner is Address Address Address Atter well to consective with Rule 35 of the General Rules and Regulations of the status of a hond for this well in conformance with Rule 35 of the General Rules and Regulations of the status of a hond for this well in conformance with Rule 35 of the General Rules and Regulations of the status of a bond for this well in conformance with Rule 35 of the General Rules and Regulations of the momission is as follows: <u>Ellanket Bond</u> 17 1/4" 13 3/8" 27.3# New 350' Cemented Circulate to 18 1000 Here 2000 Here	cic must be given to the bil Connervation Commission or its proper sgent and approved behander before drilling on the sender. Submit this notice in triplicate. One copy of this notice shoring state frames with the sender. Submit this notice in triplicate. One copy of this notice shoring state frames with the sender. Submit this notice in triplicate. One copy will be returned follow. We shore the state shore the sender. Submit this notice in triplicate. One copy will be returned follow. We shore the s			A	Santa Fe, New N	lexico		TTTT.	And the second		
ince inset be given to the bill Conservation Commission or its proper agent and approal obtained before drilling must be the before drilling a copy of this notice its hypingenetic changes will be returned following its proper agent and approach before drilling must be the the commission.      Bartlesville, Oklahoma      Bartlesville, Oklahoma      Date      OMMENSION.      Its and Regulations of the Commission.      Date      Date      OMMENSION.      Tow are hereby notified that it is our intention to commence the drilling of a well to be known as      Croose well No. 1 in ME/4      Lease      Company or Operator      Lease      Output      Croose well No. 1 in ME/4      Company or Operator      Lease      Output      N The well is 1980 feet (200 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (300 (S.) of the North He and 1980 feet (S.	cic must be given to the bil Connervation Commission or its proper sgent and approved behander before drilling on the sender. Submit this notice in triplicate. One copy of this notice shoring state frames with the sender. Submit this notice in triplicate. One copy of this notice shoring state frames with the sender. Submit this notice in triplicate. One copy will be returned follow. We shore the state shore the sender. Submit this notice in triplicate. One copy will be returned follow. We shore the s	111		- NOTICE						, y sadabija mir mir - s	
Late of the response of the communities of the	Inclusion in Arginations of the Commission      Ince    Date	ice must b ins. If char	e given to th ages in the p	e Oil Conservation	Commission or i nsidered advisabl	ts proper agen e, a copy of t	nt and appro- his notice sh	val obtaine	ed before drilling <b>changes will be</b> <b>See additional</b>		
Bartlesville, Oklahoma  12-18-51    Place  Date    CONSERVATION COMMISSION, ta Fe, New Mexico, ta Fe, New Mexico,  Date    Tou are hereby notified that it is our intention to commence the drilling of a well to be known as Company or Operator  Image: Date    Phillips Petroleum Company  Cross  well No. 1  in NE/4    Company or Operator  Lease  well No. 1  in NE/4    Company or Operator  Lease  Well No. 1  in NE/4    Company or Operator  Lease  Field, Lea  County.    N  The well is 1980 feet (MC) (S.) of the North line and 1980 feet (Give location from section or other legal subdivision lines. Cross out wrong directions.)    If state land the oil and gas lease is No. E 5676 Assignment No.    Address	Bartlesville, Oklahoma  12-18-51    CONSERVATION COMMISSION, ta Fe, New Mexico,  Flace  Data    CONSERVATION COMMISSION, ta Fe, New Mexico,  The verify of the service of the se	rned to th fuctions in	e sender. Sub Rules and R	mit this notice in t egulations of the C	ommission.	py will be rect	Irneu tonow				
ACONSERVATION COMMISSION, ta Fe, New Mexico,      ta Fe, New Mexico,      Tou are hereby notified that it is our intention to commence the drilling of a well to be known as	The set of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the ministon is as follows:      The set of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the ministon is as follows:      Now Mexico,      The set of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the ministon is as follows:      Now Mexico,      The well is 1980 feet (20)      N      N      Cross well No. 1 in NE/4      Company Cross well No. 1      Company of Operator      Company of Operator      N      Cross well No. 1      N      Company of Operator      N      N      The well is 1980 feet (20) (S.) of the North line and 1980 feet (20) (S.)      N      The well is 1980 feet (20) (S.) of the North line and 1980 feet (20) (S.)      If patented land the owner is						*****	12-1			
ta Fe, New Mexico, tlemen: You are hereby notified that it is our intention to commence the drilling of a well to be known as	ta Fe, New Mexico, tiemen: Tou are hereby notified that it is our intention to commence the drilling of a well to be known as <u>Phillips Petroleum Company</u> <u>Croes</u> well No. <u>1</u> in <u>NE/4</u> <u>Company or Operator</u> <u>Lease</u> Company or Operator <u>Company or Operator</u> <u>Lease</u> <u>Company or Operator</u> <u>Lease</u> <u>Company or Operator</u> <u>Lease</u> <u>County.</u> <u>N</u> The well is <u>1980</u> feet ( <b>XO</b> (S.) of the <u>North</u> line and <u>1980</u> feet ( <b>Bit</b> (W.) of the <u>East</u> line of <u>NE/4</u> (Give location from section or other legal subdivision lines. Cross out wrong directions.) If state land the oil and gas lease is No. <u>E 5676</u> Assignment No	CONSER	VATION CO	MMISSION.	Plac	e			Date		
You are hereby notified that it is our intention to commence the drilling of a well to be known as      Phillips Petroleum Company      Cross    well No. 1    in NE/4      Company or Operator    Lesse    well No. 1    NE/4      Company or Operator    Wildeat    Field, Lea    County.      N    The well is 1980 feet (300 (S.) of the North line and 1980 feet      N    The well is 1980 feet (300 (S.) of the North line and 1980 feet      (Give location from section or other legal subdivision lines. Cross out wrong directions.)    If state land the oil and gas lease is No. E 5676 Assignment No	Tou are hereby notified that it is our intention to commence the drilling of a well to be known as      Phillips Petroleum Company    Cross well No. 1 in NE/4      Lease    well No. 1 in NE/4      Company or Operator    Lease    well No. 1 in NE/4      N    The well is 1980 feet (30) (S.) of the North line and 1980 feet (90) feet (90) of the East line of NE/4.      (Give location from section or other legal subdivision lines. Cross out wrong directions.)      If state land the oil and gas lease is No. E 5676 Assignment No. —      If government land the permittee is. —      Address	ta Fe, New	/ Mexico,								
Phillips    Petroleum Company Company or Operator    Cross Lease Nex.    well No.    1    in    MK/4      Sec.    6    , T    10S    R    36E    N. M., P. M., Wildeat    Field,    Lease    County.      N    The well is    1280    feet    (SC)    (S.) of the North line and 1980    feet      N    The well is    1280    feet    (SC)    (S.) of the North line and 1980    feet      N    The well is    1280    feet    (SC)    (S.) of the North line and 1980    feet      (Bix (W.) of the East    line of ME/4    (Give location from section or other legal subdivision lines. Cross out wrong directions.)    If state land the oil and gas lease is No. E 5676    Assignment No.    —      If patented land the owner is    —    —    —    —    —    —      Address    — <td>Phillips Petroleum Company Company or Operator Sec. 6    Image: Cross Company or Operator Company or Operator N    Lease Not Lease Vildest Field, Lea County.    in    NE/4      N    The well is 1980 feet (200 (S.) of the North line and 1980 feet (Ext (W.) of the East line of NE/4 (Give location from section or other legal subdivision lines. Cross out wrong directions.)    If state land the oil and gas lease is No. E 5676 Assignment No</td> <td>tlemen:</td> <td></td> <td></td> <td>•</td> <td>manaa tha dri</td> <td>lling of a we</td> <td>ll to be kno</td> <td>wn as</td> <td></td>	Phillips Petroleum Company Company or Operator Sec. 6    Image: Cross Company or Operator Company or Operator N    Lease Not Lease Vildest Field, Lea County.    in    NE/4      N    The well is 1980 feet (200 (S.) of the North line and 1980 feet (Ext (W.) of the East line of NE/4 (Give location from section or other legal subdivision lines. Cross out wrong directions.)    If state land the oil and gas lease is No. E 5676 Assignment No	tlemen:			•	manaa tha dri	lling of a we	ll to be kno	wn as		
Lease      Sec.    6    T    108    R    36E    N. M., P. M., Wildeat    Field, Lea    County.      N    The well is 1980 feet (309 (S.) of the North line and 1980 feet (304 (S.) of the North line and 1980 feet (304 (S.) of the East line of NE/4    County.      Image: Company or Operator    The well is 1980 feet (309 (S.) of the North line and 1980 feet (304 (S.) of the East line of NE/4    Give location from section or other legal subdivision lines. Cross out wrong directions.)      If state land the oil and gas lease is No. E 5676 Assignment No.    —    —      If government land the owner is    —    —      Address    —    —      Bise of wELL CORRECTLY    We propose to drill well with drilling equipment as follows: Ectary too	Company or Operator    Lease      Sec. 6    Tools    R 36E    N M. P. M., P. M., Wildeat Field, Lea County.      N    The well is 1980 feet (300 (S.) of the North line and 1980 feet      N    The well is 1980 feet (300 (S.) of the North line and 1980 feet      N    The well is 1980 feet (300 (S.) of the North line and 1980 feet      Operation    County.      N    The well is 1980 feet (300 (S.) of the North line and 1980 feet      Operation    County. NE/4      Operation    Great (300 (S.) of the North line and 1980 feet      Operation    County. NE/4      (Give location from section or other legal subdivision lines. Cross out wrong directions.)    If state land the oil and gas lease is No. E 5676 Assignment No					Cross	ull No	1	in NE/4		
N    The well is 1980 feet (300 (S.) of the North line and 1980 feet      Image: State in the state state in the state in the state in the state in the st	N    The well is 1980 feet (300 (S.) of the NOTTH line and 1980 feet      Image: State of the state state of the state of the state of the state of the st	millip	Compan	ny or Operator		Lease					
Image: Construct of the construction of the constructio	(Bxt (W.) of the East line of NE/4.      (Give location from section or other legal subdivision lines. Cross out wrong directions.)      If state land the oil and gas lease is No. E 5676 Assignment No	Sec. 6	, <u>T10</u>	<u>s</u> , <u>r</u> 36E	N. M., P. M.,	LOCAL	Field,	Lea	County.		
(Give location from section or other legal subdivision lines. Cross out wrong directions.)      If state land the oil and gas lease is No. E 5676 Assignment No	Image: Construction of the legal subdivision lines. Cross out wrong directions.)      Image: Construction of the legal subdivision lines. Cross out wrong directions.)      If state land the oil and gas lease is No. E 5676 Assignment No	1	1				f th <u>e <b>NOT</b></u> NG/1.	ine a	nd_1900_feet		
directions.)    If state land the oil and gas lease is No. E 5676    Assignment No	directions.)    If state land the oil and gas lease is No. E 5676 Assignment No			(Bat (W.) o	f the East			aian linos	Cross out wrong		
If patented land the owner is	If patented land the owner is			directions.)							
If patented land the owner is	If patented land the owner is			If state land	the oil and gas l	ease is No.E	5676 A	ssignment	No		
Attricts	All rest    If government land the permittee is		┠─┼─┼─┨								
Address	Address		┟╍╌┼╼╌┼╼╌╏	Address							
ABEA 640 ACRES    The lessee is	ABEA 640 ACRES    The lessee is			If governme	nt land the permi	ttee is			<u> </u>		
ABEA 640 ACBES    Address	ABEA 640 ACRES    Address			Address		<del>9-0</del> -			<u> </u>		
ABEA 640 ACRES      We propose to drill well with drilling equipment as follows: Rotary tools.      CATE WELL CORRECTLY      We propose to drill well with drilling equipment as follows: Rotary tools.      e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the mmission is as follows: Blanket Bond      Blanket Bond      Propose to use the following strings of casing and to land or cement them as indicated:      Size of Bize of Casing    Weight Per Foot    New or Secks      Size of Casing    Weight Per Foot    New or Secks      Size of Casing    Weight Per Foot      New or Second Hand    Depth    Landed or Cement      Cemented      I //4"    13 3/8#    27.3#      New    350'      I //4"    3 //2 //2 //2 //2 //2 //2 //2 //2 //2 //	ABEA 640 ACRES      We propose to drill well with drilling equipment as follows: Rotary tools.      CATE WELL CORRECTLY      We propose to drill well with drilling equipment as follows: Rotary tools.      e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the mmission is as follows: Elanket Bond      Elanket Bond      Blanket Bond      Blanket Bond      Size of Bize of Casing    Weight Per Foot    New or Second Hand    Depth    Landed or Secks      Size of Bize of Casing    Weight Per Foot    New or Second Hand    Cemented    Circulate to Su      II      A Solution of the Secks      Commented      Casing      Veight Per Foot    Second Hand    Depth    Landed or Casing      Casing    Weight Per Foot    Second Hand      1    Casing    Casing      1    New    350'    Cemented <td colspa<="" td=""><td></td><td></td><td>The lessee is</td><td></td><td></td><td><u></u></td><td></td><td></td><td></td></td>	<td></td> <td></td> <td>The lessee is</td> <td></td> <td></td> <td><u></u></td> <td></td> <td></td> <td></td>			The lessee is			<u></u>			
CATE WELL COBRECTLY    We propose to drill well with drilling equipment as follows: Internal works in the status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the mmission is as follows: Elanket Bond      e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the mmission is as follows: Elanket Bond      e propose to use the following strings of casing and to land or cement them as indicated:      Size of Hole    Bize of Casing    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Secons      17    1/4 <sup>H</sup> 13    3/8 <sup>H</sup> 27.3 <sup>#</sup> New    350 <sup>I</sup> Cemented    Circulate to      1 <sup>H</sup> 8    5/8 <sup>H</sup> 28 & 32 <sup>#</sup> New    12500 <sup>I</sup> H    Sufficient Cemented	CATE WELL COBRECTLY    We propose to drill well with drilling equipment as follows:	AREA 6	40 ACBES	Address	<u></u>			Pete			
Immission is as follows:    Blanket Bond      a propose to use the following strings of casing and to land or cement them as indicated:      Size of Hole    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Secks      17 1/4"    13 3/8"    27.3#    New    350'    Cemented    Circulate to      1"    8 5/8"    28 & 32#    New    12500!    H    Sufficient Cemented	Immission is as follows:    Blanket Bond      a propose to use the following strings of casing and to land or cement them as indicated:      Size of Hole    Bize of Casing    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Sacks Cement      .7    1/4"    13    3/8"    27.3#    New    350'    Cemented    Circulate to Su      1"    8    5/8"    28 & 32#    New    12500'    "    Sufficient Cemented to the in to 8      7    7/8"    5    1/2"    17 & 20#    New    12500'    H    Sufficient cemented to the in to 8			g We propose	to drill well with	drilling equips	nent as follo	WS: AOLS	ry GOULD.		
Immission is as follows:    Blanket Bond      a propose to use the following strings of casing and to land or cement them as indicated:      Size of Hole    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Secks      17 1/4"    13 3/8"    27.3#    New    350'    Cemented    Circulate to      1"    8 5/8"    28 & 32#    New    12500!    H    Sufficient Cemented	Immission is as follows:    Blanket Bond      a propose to use the following strings of casing and to land or cement them as indicated:      Size of Hole    Bize of Casing    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Sacks Cement      .7    1/4"    13    3/8"    27.3#    New    350'    Cemented    Circulate to Su      1"    8    5/8"    28 & 32#    New    12500'    "    Sufficient Cemented to the in to 8      7    7/8"    5    1/2"    17 & 20#    New    12500'    H    Sufficient cemented to the in to 8					1 00 0 11	()	ulas and T	Completions of the		
Bize of Hole    Size of Casing    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Second Cement      17    1/4"    13    3/8"    27.3#    New    350"    Cemented    Circulate to      1"    8    5/8"    28 & 32#    New    12500!    "    New    Sufficient Cemented	Propose to use the following strings of casing and to land or cement them as indicated:      Size of Hole    Bize of Casing    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Sacks Cement      .7 1/4"    13 3/8"    27.3#    New    350'    Cemented    Circulate to Su n      .1"    8 5/8"    28 & 32#    New    12500'    n    Sufficient Cemented to tie in to 8      .7 7/8"    5 1/2"    17 & 20#    New    12500'    n    Sufficient cemented to tie in to 8		a 1	r this well in conf	ormance with R	ale 39 of the	General R	ules and r	teguiations of the		
Size of Hole  Bize of Casing  Weight Per Foot  New or Second Hand  Depth  Landed or Cemented  Sacks Cement    .7 1/4"  13 3/8"  27.3#  New  350"  Cemented  Circulate to #    1"  8 5/8"  28 & 32#  New  4800"  #  Sufficient Ce	Size of Hole    Bize of Casing    Weight Per Foot    New or Second Hand    Depth    Landed or Cemented    Secks Orment      .7 1/4"    13 3/8"    27.3#    New    350'    Cemented    Circulate to Su n      1"    8 5/8"    28 & 32#    New    4800'    n    n      7 7/8"    5 1/2"    17 & 20#    New    12500'    n    Sufficient Cemet to tie in to 8	e status o	a bona io:		1						
17      1/4"      13      3/8"      27.3#      New      350'      Cemented      Circulate to        1"      8      5/8"      28 & 32#      New      4800'      "	.7 1/4"    13 3/8"    27.3#    New    350'    Cemented    Circulate to Su      1"    8 5/8"    28 & 32#    New    4800'    "    "    "      7 7/8"    5 1/2"    17 & 20#    New    12500'    "    Sufficient Cemented to the in to 8      changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate    Sufficient casing. We estimate	mmission i	s as follows:	Blanket Bong	casing and to lar	nd or cement f	hem as indi	cated:			
1n 8 5/8n 28 & 32# New 4800' " Sufficient Ge	1  8  5/8 <sup>n</sup> 28 & 32#  New  4800 <sup>1</sup> n    7  7/8 <sup>n</sup> 5  1/2 <sup>n</sup> 17 & 20#  New  12500 <sup>1</sup> n    Sufficient Ceme to tie in to 8	mmission is propose Sizo of	s as follows: to use the fo	Blanket Bond blowing strings of	casing and to lar New or		La	nded or			
North 125001 H Sufficient Ce	7 7/8" 5 1/2" 17 & 20# New 12500' " Sufficient Cene to tie in to 8 changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate	mmission is propose Size of Hole	s as follows: to use the fo Bize of Casing	Blanket Bond ollowing strings of Weight Per Foot	New or Second Hand	Depth	La Ce	nded or emented	Coment	Su	
	changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate	mmission is propose size ef Hole	s as follows: to use the for Bize of Casing 13 3/8 <sup>H</sup>	Blanket Bond ollowing strings of Weight Per Foot 27.3#	New or Second Hand	Depth 3501	La Ce	nded or emented	Coment Circulate to N		
The second	changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate	mmission is propose Size of Hole 17 1/4"	s as follows: to use the for Casing 13 3/8 <sup>H</sup> 8 5/8 <sup>H</sup>	Blanket Bond ollowing strings of Weight Per Foot 27.3# 28 & 32#	New or Second Hand New New	Depth 3501 48001	La Ce	nded or emented mented N	Coment Circulate to " Sufficient C	eme	

NOR 3 8 1991

Sincerely yours, 19. Approved\_ except as follows: Petroleum Company Phillips or Operator nv By 11 Position Asst. Chief Clerk Send communications regarding well to: OIL CONSERVATION COMMISSION, Name Mr. C. P. Dimit, Vice-President By Address Phillips Building Ges inspector (8, 01 Bartlesville, Oklahoma Title



Ο

 $\bigcirc$