District 1 1625 N. French Dr., Hobbs, NM 88240 District II 814 South First, Artesia, NM 88210					State of New Mexico Energy Minerals and Natural Resources						Form C-101 Revised March 17, 1999				
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505					Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505					Submit to appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies					
AMENDED REPORT															
[······	APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE Operator Name and Address 'Operator Name and Address 'Operator Name and Address														
	E.G.L. Resources, Inc.							173413 ³ API Number							
	P. O. Box 10886 Midland, TX 79702								30-025-03		umber				
³ Proper	³ Property Code					⁵ Property Name Lea "M" State					⁶ Well 1	No.			
		7 5	Surface Loc	ation	1.00		<u>>1410</u>				L	,			
UL or lot no.	UL or lot no. Section Toy		wnship Range		(dn	Feet from the	North/South line		Feet from the	East/West line		County			
A	6	10S	36E			330	North		660	East		Lea			
		8	Proposed B	ottom	Hole L	ocation If I	Differe	ent Fron	n Surface						
UL or lot no.	Section	Township	Range	Lot	1	Feet from the		outh line			est line	County			
	° Proposed Pool 1								¹⁰ Propo	osed Pool	2				
Crossroads, West Atoka (13460)															
¹¹ Work Type Code ¹² Well Type Code ¹³ Cable/Rotary ¹⁴ Lease Type Code ¹⁵ Ground Level Elevati															
E ¹⁶ Multiple			G			Rotary			Lease Type Code S		¹⁵ Ground Level Elevation 4052				
N					¹⁸ Formation Atoka			¹⁹ Contractor			Spud Date Aay, 2001				
²¹ Proposed Casing and Cement Program															
Hole S	ze	Casi	Casing Size Casing weight/foot				etting De		Sacks of Cement Estimat			stimated TOC			
15"		11 3⁄4"		42#			333		450		Surface				
<u> </u>		8 5/8"		32 & 24#			4100		1680						
7 7/8"		· 5 ½"		20 & 17#			1205	0 250)					
					···		······································		<u> </u>						
Describe the b	Describe the blowout prevention program, if any. Use additional sheets if necessary.														
1. On or about May 10, 2001:															
 Cut off ½" steel plate on 11 ½" OD Surface Casing Drill out compart plugs to top of 5 1/2" series @ 42201 															
3. Drill out cement plugs to top of 5 1/2" casing @ 4220'															
 Tie onto 5 ½" casing Drill out plugs to Atoka zone @ 11,132' 															
 Drift out plugs to Atoka zone @ 11,132⁷ Evaluate Atoka 															
7. BOP Program: Standard BOP (5000 psi)															
	³ I hereby certify that the information given above is true and complete to the														
	best of my knowledge and belief.							OIL CONSERVATION DIVISION							
Signature: Ana Anston							Approved by:								
Printed name: Linda Johnston							Title:								
Title: Agent						Approv	Approval Date:			Expiration Date:					
Date: March 21, 2001 Phone: (915) 694				694-8228		Conditio	ons of Ap	proval:	221						
		· · ·					Attached								

..

アレブ

WR
•

,1