

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>

5. State Oil & Gas Lease No.

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL <input type="checkbox"/> WELL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Tom L. Ingram	8. Farm or Lease Name Dickinson
3. Address of Operator P.O. Box 1757, Roswell, New Mexico 88201	9. Well No. 1
4. Location of Well UNIT LETTER <u>M</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>33</u> TOWNSHIP <u>10-S</u> RANGE <u>36-E</u> NMPM.	10. Field and Pool, or Wildcat Undeg. Penn
15. Elevation (Show whether DF, RT, GR, etc.) 4008 GR	12. County Lea

16.

## Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐  
TEMPORARILY ABANDON ☐  
PULL OR ALTER CASING ☐

PLUG AND ABANDON ☐  
CHANGE PLANS ☐

OTHER ☐

### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐  
COMMENCE DRILLING OPNS. ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER ☐

ALTERING CASING ☐  
PLUG AND ABANDONMENT ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plugged and Abandoned as follows:

1-3-85 Set CIBP and 10 sx. (100') cmt plug @ 10,780'. Circ hole with mud laden brine.

1-4-85 Set 25 sx. (265') cmt plug @ 7535-7800 (Top of Abo)  
Set 30 sx. (165') cmt plug @ 4940-5105 (inside and outside 5-1/2" csg stub.

1-5/1-6-85 WOC

1-7-85 Tag cmt @ 4940'.  
Set 30 sx. (100') cmt plug @ 2150-2250 (Top of salt).  
Set 10 sx. cmt plug at surface and placed dry hole marker.

Note: all cmt plugs consisted of class "C" cement.

Note: Well was plugged with 389'-2 3/8" tbq, SN, Baker Model "R" Double Grip Packer in the hole. Top of fish @ 10,796' and bottom of fish @ 11,194'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Joseph J. Lyra

TITLE Engineer

DATE 1-8-85

APPROVED BY Ronald M. Castleberry

TITLE OIL & GAS INSPECTOR

DATE MAR - 6 1985

CONDITIONS OF APPROVAL, IF ANY: