


APPROVED

Form 9-831a
(Feb. 1961)



AUG 17 1962

(SUBMIT IN TRIPLICATE)

COPY TO O. C. HOBBS

Budget Bureau No. 42-R358.4.
Form Approved.

E. W. STANDLEY
DISTRICT ENGINEER

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Land Office **Roswell**

Lease No. **891-064251**

Unit **J**

AUG 16 1962

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 13,

1962

Well No. 1 is located 1980 ft. from N line and 1980 ft. from E line of sec. 8

SE/4 Sec. 8 9-8 37-E 182M

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Allison Farm. Lee New Mexico

(Field) (County or Subdivision) (State or Territory)

OPERATIONS BY: RECORD LESSEE
 OF OWN FILE
 ATTACHED

The elevation of the derrick floor above sea level is 4030 ft. (est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Federal-Inter #1: Total depth approximately 9800 feet, objective **BOUGH "c"** zone at approximately 9700 feet. Will drill 17 1/2" hole and set 48# 13-3/8" casing at approximately 300 feet and circulate cement. Will drill 11" hole and set 32# 8-5/8" casing at approximately 4300 feet with 300 sacks cement. Will drill 7-7/8" hole and set 15.5# and 17# 5 1/2" casing at approximately 9750 feet with 250 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Arnold H. Bruner


Address C/o Sikes-Donaldson

204 Chancellor Building

Midland, Texas

By

Title Agent



INSTRUCTIONS FOR COMPLETION:

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)