



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
Lease No. LC-064051
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE <u>ENTER</u> <u>WELL</u>	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Elliot _____, 1955
Well No. 1 is located 660 ft. from N line and 660 ft. from E line of sec. _____
1/4 of section 27, _____
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Alameda _____
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 1101 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Clean out surface casing, and 11" bore to 1200'.
Run 8-5/8" double bowl casing overshot on 8-5/8" casing and tie 8-5/8" casing together at 1200'.
Drill cement plugs and clean out bore to 11,272'. Condition and seal bore.
Run 5 1/2", 20# and 17#, 1-20 and 1-55, new mils. casing to 11,272' and cement with 200 lb. 45 gal cement. Wait on cement 24 hours. Test casing with 1500# for 5 minutes. Perforate, treat, and complete with 2" tubing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Union Oil Co. of California

Address 619 1st Street, Santa

Alameda, Texas

By James E. Ryan
Title _____