

Las Cruces

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lesse No. 069051  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 1, 1951

Well No. 1 is located 660 ft. from S line and 660 ft. from E line of sec. 27  
SE/4 Section 27 11S 38E 111E  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
111st Loa New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3905 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Plan to plug well by placing cement plugs as follows: 12, 00-12,272'; 225-2,000'; 4,73-4,553'; 1171-1225'; 328-360'; 0-16'.

And of following properties to be left between plugs: St. 9.8, Vis. 73, A.L. 7, F.C. 1/32".

Plan to cut and pull 8-5/8" casing from asrox. 1250' and weld steel plate on top of 11-3/4" surface casing. Notes for abandonment: No indication of commercial oil or gas production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Los Mision Company

Address 210 Wilkinson-Foster Building

Midland, Texas

By [Signature]

Title Drilling Superintendent