

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-08007

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
B-10278

7. Lease Name or Unit Agreement
Name:

N.M. "BH" STATE NCT-1

8. Well No.
1

9. Pool name or Wildcat
ATOKA (UNDESIGNATED)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
KC RESOURCES, INC.

3. Address of Operator
P.O. BOX 1118, CARDIFF, CA 92007

4. Well Location

Unit Letter C 660 feet from the NORTH line and 1,980 feet from the WEST line

Section 11 Township 12S Range 32E NMPM County: LEA

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
4,371' DF

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) MIRU, Install BOP. RIH with bit & scraper, clean out 5 1/2" csg to 10,513'.
- 2) RIH w/RBP to 9,850' and Pressure test Casing to 1,000 psi.
- 3) Spot 10% Acetic Acid from 10,450' to 9,800'.
- 4) Perforate ATOKA: 9,795' - 9,806'; 9,820' - 9,833'; 10,021' - 10,030'; 10,402' - 10,409'; 10,426' - 10,435' and 10,445' - 10,450'.
- 5) Acidize perforations: 9,795' - 10,450' with 10,000 gals Acid.
- 6) Swab Test.
- 7) If commercial, repair 5 1/2" casing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Joe Palmer TITLE Tax/Production Analyst DATE 12/24/01

Type or print name Joe Palmer Telephone No. (760) 753-3330
(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____

Conditions of approval, if any:

PETROLEUM