

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO. 30-025-20017
5. Indicate Type of Lease STATE [] FEE [x]
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL [x] GAS WELL [] OTHER []
2. Name of Operator Oryx Energy Company
3. Address of Operator P. O. Box 1861, Midland, Texas 79702
4. Well Location Unit Letter 0 : 330 Feet From The South Line and 2310 Feet From The East Line
Section 27 Township 9-S Range 36-E NMPM Lea County

7. Lease Name or Unit Agreement Name U. D. Sawyer
8. Well No. 5
9. Pool name or Wildcat Crossroads (Penn.)

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4033.5 DF

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK [] PLUG AND ABANDON [x] TEMPORARILY ABANDON [] CHANGE PLANS [] PULL OR ALTER CASING [] OTHER: []
SUBSEQUENT REPORT OF: REMEDIAL WORK [] ALTERING CASING [] COMMENCE DRILLING OPNS. [] PLUG AND ABANDONMENT [] CASING TEST AND CEMENT JOB [] OTHER: []

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed
1. MIRU PU. ND WH. NU BOP. POH W/1 JT 2-7/8", 6.5#, J-55 PROD TBG.
2. MIRU APOLLO. DUMP BAIL 20' (+2 SKS) CLASS "C" NEAT CMT ON TOP OF CIBP (PBSD ±11480'). WL SET 5-1/2", 20# CIBP @ ±11370' VIA LANE-WELLS GR/CCL DATED 9-24-63. DUMP BAIL 35' (3.3 SKS) CLASS "C" NEAT, 1.32 CU FT/SK YIELD ON TOP. PERF 4-WAY SQZ HOLE @ ±4190 (INTERMEDIATE CSG SHOE). PERF 4-WAY SQZ HOLE @ ±2210 (TOP OF SALT). RD APOLLO.
3. RIH W/2-7/8" PROD TBG OE TO PBSD (±11335'). LOAD HOLE W/9.5 LB/GAL BRINE W/25 LB/BBL SALT GEL. POH LAYING DN TO ±5500'. SPOT 20 SK CMT PLUG FROM 5500-5288. WOC =2-3 HRS, TAG TOP TO CONFIRM DEPTH. POH (STAND BACK 4000' TBG).

Continued Page 2

I hereby certify that the information above is true and complete to the best of my knowledge and belief.
SIGNATURE [Signature] TITLE Accountant DATE 7-31-89
TYPE OR PRINT NAME TELEPHONE NO.

(This space for State Use)
ORIGINAL SIGNED BY JERRY SEXTON
APPROVED BY DISTRICT I SUPERVISOR TITLE DATE AUG 7 1989
CONDITIONS OF APPROVAL, IF ANY: THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

4. RIH W/5-1/2", 20# BAKER RDG PKR ON 2-7/8" TBG TO $\pm 4000'$. EIR SQZ HOLES @ $\pm 4190'$. RAISE & SET PKR @ 3850'. SQZ W/70 SKS CLASS "C" NEAT CMT. DISPLACE 50 SKS INTO SQZ HOLES, LEAVING ± 20 SKS BELOW PKR. WOC, RLSE PKR & TAG TOP OF CMT.
5. RAISE & SET PKR @ $\pm 1900'$. EIR SQZ HOLES @ $\pm 2210'$. SQZ W/70 SKS CLASS "C" NEAT CMT. DISPLACE 50 SKS INTO SQZ HOLES, LEAVING ± 20 SKS BELOW PKR. WOC, RLSE PKR & TAG TOP OF CMT.
6. SPOT 10 SKS ($\pm 100'$ CMT) FROM 100' TO SURFACE.
7. CUT OFF WELLHEAD 4' BELOW GROUND LEVEL. WELD ON STEEL PLATE & MARKER. CLN LOCATION. RLSE RIG.