


Form 9-331a
(Feb. 1951)Budget Bureau No. 42-R358.4.
Form Approved.

District Engineer

(SUBMIT IN TRIPLICATE)

 UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY
Land Office **New Mexico**Lease No. **NM 0149959**

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 17, 19 63

Southern Union-Federal

Well No. **1** is located **660** ft. from **N** line and **660** ft. from **E** line of sec. **6**

Lot 1 (NE/4-NE/4) Sec. 6

10-8

38-E

NMPM

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Undesignated

Las County

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is **3927** ft. GL

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated 4935' w/2 shots and 4943-48' w/18 shots.

Ran 2-3/8" upset tubing to 4938'.

Acidized w/500 gals hd. acid and 7000 gals regular acid w/m38.

Swabbing load.

CORRECTION ON TEMPERATURE SURVEY: Top cement @ 2997'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **McGrath & Smith**Address **1210 Petroleum Life Bldg.****Midland, Texas**By Title **Pomeroy Smith, Partner**