

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Hobbs Supply Company		8. Farm or Lease Name British-American-St
3. Address of Operator P. O. Box 2010, Hobbs, New Mexico 88240		9. Well No. 1
4. Location of Well UNIT LETTER 660 FEET FROM THE South LINE AND 1980 FEET FROM THE East LINE, SECTION 23 TOWNSHIP 10-S RANGE 33-E NMPM.		10. Field and Pool, or Wildcat South Lane Penn
15. Elevation (Show whether DF, RT, GR, etc.) 4211' D.F.		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

1. Propose to spot a 25 sx cement plug from 9771'-9776'.
2. Propose to spot a 25 sx cement plug at 4½ casing stub at 7000'.
3. Propose to spot a 25 sx cement plug at top of Tubb at 6785'.
4. Propose to spot a 25 sx cement plug at 8-5/8 casing shoe at 4018'.
5. Propose to spot a 25 sx cement plug at 8-5/8 casing stub at 2000'.
6. Propose to spot a 25 sx cement plug at 10-3/4 casing shoe at 427'.
7. Propose to spot a 10 sx cement plug at surface with marker.
8. Hole will be loaded with mud-laden fluids.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *John W. Rungt* TITLE Agent DATE 8/4/71

APPROVED BY *John W. Rungt* TITLE Geologist DATE AUG 9 1971

CONDITION OF APPROVAL, IF ANY:

RECEIVED

AUG 9 1971

OIL CONSERVATION COMM.
HOBBS, N.M.