

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
2. Name of Operator Pubco Petroleum Corporation	5. State Oil & Gas Lease No.
3. Address of Operator P. O. Box 869, Albuquerque, New Mexico 87103	7. Unit Agreement Name None
4. Location of Well UNIT LETTER 0 660 FEET FROM THE S LINE AND 1980 FEET FROM THE E LINE, SECTION 23 TOWNSHIP 10S RANGE 33E NMPM.	8. Farm or Lease Name British American State
	9. Well No. 1
	10. Field and Pool, or Wildcat Inbe-Pennsylvanian
15. Elevation (Show whether DF, RT, GR, etc.) 4212 KB	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☐
OTHER ☐

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Recomplete in Permo-Pennsylvanian section as follows:

1. Set bridge plug w/cement on top at 9750. Test to 2000 psi.
2. Perforate 9686-91, 9664-72, 9654-58 & 9466-74 w/2 jets/ft.
3. Run packer and retr. BP on tbq. Isolate, if possible, acidize each zone w/500 gal. 15% HCL, test each zone.
4. If communication develops, acidize & test as one zone.
5. If above intervals are not productive, set bridge plug at 9400', dump cement on top, test to 2000 psi.
6. Perforate 9202-07 and 9162-67 w/2 jets/ft.
7. Acidize and test separately as before.

(Note: The Bough "C" zone 9771-76 and 9761-65 has been depleted).

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Charles H. Anderson

TITLE Drilling Engineer

DATE November 24, 1969

APPROVED BY [Signature]

TITLE SUPERVISOR

DATE

CONDITIONS OF APPROVAL, IF ANY: