

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 375 feet, and from 375 feet to 4410 feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing January 14, 1964

OIL WELL: The production during the first 24 hours was 48 barrels of liquid of which 100% was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico				Northwestern New Mexico			
T. Anhy.	1635'	T. Devonian		T. Ojo Alamo			
T. Salt		T. Silurian		T. Kirtland-Fruitland			
B. Salt		T. Montoya		T. Farmington			
T. Yates	2200'	T. Simpson		T. Pictured Cliffs			
T. 7 Rivers	2330'	T. McKee		T. Menefee			
T. Queen		T. Ellenburger		T. Point Lookout			
T. Grayburg		T. Gr. Wash		T. Mancos			
T. San Andres	3420'	T. Granite		T. Dakota			
T. Glorieta		T.		T. Morrison			
T. Drinkard		T.		T. Penn			
T. Tubbs		T.		T.			
T. Abo		T.		T.			
T. Penn		T.		T.			
T. Miss		T.		T.			

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1635	163	Triassic & Permian Red Beds				
1635	2200	565	Mastler Anhydrite				
2200	2330	130	Yates				
2330	3420	1090	Seven Rivers, Queen Grayburg				
3420	4410	990	San Andres				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

January 20, 1964
Company or Operator Uniform Development Corporation Address P. O. Box 1747, Midland, Texas
Name Frank W. Podpechan Position or Title Geologist