

COUNTY	Lea	FILE	D Lane, South	STATE	N.M.	NO.	
OPR	Rice Engineering & Operating, Inc.					MAP	
NO	K-35 LSE South Lane SWD						
SEC	35	T	10S	BLK	33E	SUR	CO-ORD.
LOC	1980' fr S Line & 1700' fr W Line of Sec.						
MI.	FROM		CLASS.		EL.		
SPUD	8-20-63	COMP	9-30-63	FORMATION	DATUM	FORMATION	DATUM
TRI.				LOG:			
				Queen	3360		
CSG. & SX.				Gryb	3540		
10 3/4"	366'	200		SA	3920		
7"	3942'	400					
TBG.	DEPTH	SIZE					
LOGS	EL	GR	RA	IND	HC	A	
				TD	5350'	PB	
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.	T. P.
COMPLETED AS A SALT WATER DISPOSAL WELL							
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.							
CONT.	PROP DEPTH				TYPE		
DATE							

F.R.C. 10-10-63
 10-7-63 TD 5350', COMPLETED AS A SWD WELL
 Ac. 10,000 gals (15%) (Open Hole 3942-5350')
 Perf 3760-80' W/4 SPF.
 Ac. 2000 gals (15%) (Perfs 3760-80')
 Perf 3675-77½', 3688-90½', 3698', 3703' & 3722-
 22½' W/4 SPF
 Ac. 1500 gals (15%) 3675-3722½'.

TUESDAY

MAY						
S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

27

Rice Engr.
JUNE 1967

JULY						
S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

8:00 35-10-33
 8:30 10 3/4 349 South Lane
 9:00 5360 3400 ^{soft water}
 9:30 7" ~~3400~~ ~~3400~~
 10:00
 10:30 Top perf 3675
 11:00
 11:30
 12:00 4 1/2 @ 3634
 1:00
 1:30 50 sxs Top plug
 2:00
 2:30 25 stub
 3:00
 3:30 25 Top soft
 4:00
 4:30 25 shoe
 5:00
 5:30 10 cap

MONDAY

JUNE						
S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

26

JUNE 1967