

COUNTY <u>Lea</u>		FIELD <u>Wildcat</u>		STATE <u>N.M.</u> NO	
WC	OPR. <u>Shell Oil Company</u>			MAP	
NO. <u>1</u>		LSE. <u>State-Ella</u>			
SEC. <u>27</u>	T. <u>9S</u>	BLK. <u>R</u>	<u>35E</u>	SUR.	CO-ORD.
LOG. <u>1980' fr S Line & 660' fr W Line of Sec.</u>					
MI.	FROM	P&A	CLASS.	EL <u>7136 E</u>	
SPUD. <u>8-1-63</u>	COMP. <u>9-20-63</u>	FORMATION	DATUM	FORMATION	DATUM
TRT.		LOG:			
		Yates 2809			
CSG. & SX.		SA 4047			
<u>13 3/8" 305' 300</u>		Yeso 5519			
<u>8 5/8" 4116' 1695</u>		Abo 7735			
		Wolfe 9010			
TBG.	DEPTH	SIZE	Bo. "C" 9844		
LOGS	EL	GR	RA	IND	HC A
		TD <u>10025'</u>		PB	
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY C. P. T. P. HRS. TEST
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 10,000' TYPE
DATE

7844
A 130
5708

F.R. 8-8-63
PD 10000' - Pennsylvanian
8-8-63 Drlg. 1110' RB
8-19-63 No Report
8-26-63 No Report
9-3-63 No Report
9-9-63 No Report
9-23-63 TD 10025', PLUGGED & ABANDONED
DST 4811-74', open 1 hr 30 mins,
GTS in 35 mins @ TSTM,
Rec 0.3 BHGCM, 0.45 BO&GCM & 1.3 BG & WC Emulsion
1 hr ISIP 1574#, FP 146-152#,
2 hr FSIP 1505#.
DST 4882-4931', open 45 mins,
rec 0.9 B Salt WCM
1 hr 15 min ISIP 1724#, FP 111-114#,
1 hr 30 min FSIP 1552#.

Lea Wildcat N.M. Page 2
Shell Oil Company, #1 State-Ella - Sec. 27-9S-35E

9-23-63 -cont.-
DST 9831-70', open 1 hr,
Rec 100' DM
1 hr ISIP 4333#, FP 60-74#,
1 hr FSIP 4319#

COUNTY	LEA	FIELD	Wildcat	STATE	NM	OWO
OPR	PAN AMERICAN PETROLEUM CORP.				MAP	
	1 State "CZ"					
	Sec. 27, T-9-S, R-35-E				CO-ORD	
	1980' FSL & 660' FWL of Sec.					
	Re-Spd 12-1-65		CLASS		owd/p EL [REDACTED]	
	Re-Cmp 12-13-65		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING						
13 3/8" 305' 300						
8 5/8" 4116' 1695						
4 1/2" 5000' 300						
LOGS EL GR RA IND HC A						
			TD 10025', PBD 5000'			

IP San Andres Perfs 4825-62' Pmpd 40 BOPD + 22 BW. Pot. Based on 24 hr test, gravity 26., GOR 850.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH 5000'	TYPE
DATE		

F.R. 12-2-65; OWWO
PD 5000' - SA
(Orig. Shell Oil Co., #1 State-Ella,
P&A 9-20-63, OTD 10,025')
Elev. 4136' DF, Orig.

12-6-65 TD 10025', PBD 5000', prep to perf.
CO to 5000'

12-13-65 Ran 4 1/2" casing @ 5000' W/300 sx.
TD 10025', PBD 5000', tstg on pump.
Perf 4825-27', 4831-32', 4836-37',
4847-49', 4859-62' W/1 SPF
Ac. (4825-62') 4000 gals.
Pmpd 25 BO + 95 BW/39 hrs (4825-62')

12-20-65 TD 10025', PBD 5000', COMPLETED.