

COUNTY	LEA	FIELD Undesignated	STATE NM
OPR	BELL PETROLEUM COMPANY		MAP
3 State-5			
Sec. 5, T-9-S, R-32-E			CO-ORD
1980' fr S & E Lines of Sec.			
Spud 11-19-64		CLASS	EL 44438
Comp 1-15-65		FORMATION	DATUM
CSG & SX - TUBING		LOG:	
9 5/8" 362' 225		Anhy 1610	
5 1/2" 4469' 200		Yates 2234	
		SA 3455	
LOGS EL GR RA IND HC A			
		TD 4470', PBD 4300'	

IP San Andres Perfs 4224-28' Pmpd 45 BOPD + 106 BW. Pot. Based on 24 hr test, gravity 19.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Saint Drlg. Co.	PROP DEPTH 4500'	TYPE
DATE		

F.R. 11-27-64
PD 4500' - SA
Contractor - Saint Drlg. Co.
11-23-64 Drlg. 2339'.
11-30-64 Drlg. 4071' 1m.
12-7-64 TD 4470', MORT.
12-14-64 TD 4470', WO Comp.
12-21-64 TD 4470', PBD 4465', SI.
Perf 4307-11', 4315-19', 4332-34', 4337-38',
4349-51' W/2 SPF
Perf 4375-77', 4386-90', 4394-95', 4400-04',
W/4 SPF
Perf 4416-19', 4429-31', 4445-47' W/2 SPF
Ac. 2000 gals. 4307-4447'
Swbd acid wtr w/show oil

1-4-65 TD 4470', PBD 4465', SI.
1-11-65 TD 4470', PBD 4465', SI.
1-18-65 TD 4470', PBD 4300', COMPLETED.
Set Retainer @ 4300'
Squeezed perfs 4307-4447'
Perf 4224-28' W/4 SPF
Ac. 2000 gals. 4224-28'.

R-3637 LMB

1. JANUARY 1, 1969

JAN 06 1969

JAN 2 1969