

(REVISED 7/1/52)
(FORM C-105)

A 10x10 grid with an 'X' in the 5th column and 5th row from the top-left corner.

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO 40650

WELL RECORD

MAIL TO DISTRICT OFFICE, OIL CONSERVATION COMMISSION, TO WHICH FORM C-101 WAS SENT NOT LATER THAN TWENTY DAYS AFTER COMPLETION OF WELL. FOLLOW INSTRUCTIONS IN RULES AND REGULATIONS OF THE COMMISSION. SUBMIT IN QUINTUPPLICATE.

HUMBLE OIL & REFINING COMPANY

Birdie May Bonds

(COMPANY OR OPERATOR)

(LEASE)

WELL NO. 1, IN NW $\frac{1}{4}$ OF SE $\frac{1}{4}$, OF SEC. 20, T. -9-S, R. -35-E, NMPM.

Undesignated Wildcat _____ POOL, _____ Lea _____ COUNTY.

WELL IS 1980 FEET FROM East LINE AND 1980 FEET FROM South LINE.

OF SECTION 20 IF STATE LAND THE OIL AND GAS LEASE NO. IS -

DRILLING COMMENCED April 28, 1964 DRILLING WAS COMPLETED June 8, 1964

NAME OF DRILLING CONTRACTOR B. L. McFarland, Inc.

ADDRESS _____ Midland, Texas

ELEVATION ABOVE SEA LEVEL AT TOP OF TUBING HEAD 4172 D.F., THE INFORMATION GIVEN IS TO BE

KEPT CONFIDENTIAL UNTIL _____, 19__ DATE WELL COMPLETED 6-13-64

DISTANCE FROM RDB TO CSG. HEAD FLANGE - TOP OF RDB 1.0

OIL SANDS OR ZONES

NO. 1, FROM Dry Hole TO NO. 4, FROM TO

NO. 2, FROM _____ TO _____ NO. 5, FROM _____ TO _____

NO. 3, FROM _____ TO _____ NO. 6, FROM _____ TO _____

IMPORTANT WATER SANDS

INCLUDE DATA ON RATE OF WATER INFLOW AND ELEVATION TO WHICH WATER ROSE IN HOLE.

NO. 1, FROM _____ TO _____ FEET. _____

NO. 2, FROM _____ TO _____ FEET. _____

NO. 3, FROM _____ TO _____ FEET. _____

NO. 4, FROM _____ TO _____ FEET. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	48	New	388	Baker	-	-	Surface
8-5/8"	32 & 24	New	4972	Baker	-	-	Intermediate

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	TOP OF CEMENT []
17-1/2	13-3/8	407	450	Pumped	-	Cement Circulated
11	8-5/8	4988	750	Pumped	-	3400' by Temp Survey

RECORD OF PRODUCTION AND STIMULATION

(RECORD THE PROCESS USED, NO. OF QTS. OR GALS. USED, INTERVAL TREATED OR SHOT.)

None

RESULT OF PRODUCTION STIMULATION Dry Hole

TOTAL DEPTH 10,800 Driller's T.D. PRD Surface

PBD Surface