

COUNTY OF LEA		FIELD NO. 1		STATE N.M.	
W.C. STEPHENS, NORMAN L. J. J.		WILSON		LEA COUNTY	
I. State 24-888 - State 14		J. State 14		STEVENS, NORMAN L. J.	
Sec. 18, T-10-S, R-72-S		Sec. 18, T-10-S, R-72-S		Sec. 18, T-10-S, R-72-S	
990' fr 8-14-64 to 8-14-64		990' fr 8-14-64 to 8-14-64		990' fr 8-14-64 to 8-14-64	
F. 8-14-64		F. 8-14-64		F. 8-14-64	
CSG & EX. TUBING	LOGS EL. OR. RA. IND. HC. A	FORMATION	DATUM		
8 5/8" 346' 200	8-14-64	SWD 17 BLO + 30 BW/4 hrs.	8-14-64		
4 1/2" 4446' 250	8-14-64	Re-Ac. 5000 gals. 4193-4201'	8-14-64		
PLUGGED & ABANDONED					
CONT. DATE		8-14-64			
F.R. 7-30-64		PD 4450' - SA			
8-3-64		Drig. 1595'			
8-6-64		AMENDED FOOTAGE: Was 660' FSL & 1980' FEL of Sec.			
8-10-64		TD 3641' SDR.			
8-17-64		Drig. 4273'			
		Cored 4000-4130', rec 50' dolo., w/scatt shows oil & water.			
		Cored 4131-71', rec 40' same.			
		Cored 4171-4201', rec 50' same.			
8-24-64		TD 4450', PBU 4450', subg.			
		Perf 4193-4201' w/2 SPV			
		Ac. 2000 gals.			
		Swbd 17 BLO + 30 BW/4 hrs.			
		Re-Ac. 5000 gals. 4193-4201'.			
		Swbd 18 BLO + 87 BAW/13 hrs.			
		Swbd 3 B Salt Wtr/no time.			

STATE	WILSON	FIELD	WILSON	AREA	WILSON
DATE	8-31-64	TIME	10:00	WELL	WILSON
DRILLER	STEVENS	WILSON	WILSON	WILSON	WILSON
WELL NO.	WILSON	WILSON	WILSON	WILSON	WILSON
WELL DEPTH	WILSON	WILSON	WILSON	WILSON	WILSON
WELL TYPE	WILSON	WILSON	WILSON	WILSON	WILSON
WELL STATUS	WILSON	WILSON	WILSON	WILSON	WILSON
WELL LOCATION	WILSON	WILSON	WILSON	WILSON	WILSON
WELL DIRECTION	WILSON	WILSON	WILSON	WILSON	WILSON
WELL DIAMETER	WILSON	WILSON	WILSON	WILSON	WILSON
WELL Casing	WILSON	WILSON	WILSON	WILSON	WILSON
WELL Cement	WILSON	WILSON	WILSON	WILSON	WILSON
WELL Completion	WILSON	WILSON	WILSON	WILSON	WILSON
WELL Production	WILSON	WILSON	WILSON	WILSON	WILSON
WELL Notes	WILSON	WILSON	WILSON	WILSON	WILSON

WILSON & ABANDONED

WILSON & ABANDONED

WILSON & ABANDONED

COUNTY	LEA	FIELD	Wildcat	STATE	N.M.
WC OPR	STEVENS, NORMAN L., JR.			MAP	
1 State					
Sec. 18, T-10-S, R-32-E				CO-ORD	
990' fr S Line & 1650' fr E Line of Sec.					
Spud 7-31-64					
P & A 9-3-64					
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING		LOG:			
8 5/8" 346' 200		Anhy 1485			
4 1/2" 4446' 250		Yates 2200			
		Queen 2915			
		SA 3443			
LOGS EL GR RA IND HC A					
		TD 4450'			

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	4450'	TYPE
DATE			

F.R. 7-30-64
PD 4450' - SA
8-3-64 Drlg. 1595'.
8-6-64 AMENDED FOOTAGE: Was 660' FSL & 1980' FEL of
Sec.
8-10-64 TD 3641', SDR.
8-17-64 Drlg. 4275'.
Cored 4080-4130', rec 50' dolo., w/scatt shows
oil & water.
Cored 4131-71', rec 40' same.
Cored 4171-4221', rec 50' same.
8-24-64 TD 4450', PBD 4406', swbg.
Perf 4193-4201' W/2 SPF
Ac. 2000 gals.
Swbd 17 BLO + 30 BW/4 hrs.
Re-Ac. 5000 gals. 4193-4201'.
Swbd 18 BLW + 87 BAW/13 hrs.
Swbd 3 B Salt Wtr/no time.

8-31-64 TD 4450', DO to 4170', prep to P&A.
Squeezed perfs 4193-4201' W/175 sx. DO 4170'.
Perf 4125-30', 4136-41', 4150-52' W/2 SPF
Ac. 500 gals.
Swbd Acid Wtr, with Scum of Oil.
Re-Ac. 2500 gals. 4125-52'
Swbd dry.

9-8-64 TD 4450', PBD 4170', PLUGGED & ABANDONED.