– Submit 3 Copies to Appropriate District Office	State of New Me: Energy, Minerals and Natural Re	Form C-103 Revised 1-1-89	
DISTRICT I P.O. Box 1980, Hobbs, NM 88240 DISTRICT II P.O. Drawer DD, Artesia, NM 88210 OIL CONSERVATION DIVISION 310 Old Santa Fe Trail, Room 206 Santa Fe, New Mexico 87503			WELL API NO. 30-025-20897
			5. Indicate Type of Lease STATE X FEE
DISTRICT III 1000 Rio Brazos Rd., Azlec, NM 87410			6. State Oil & Gas Lease No. K-3905
SUNDRY NOTICES AND REPORTS ON WELLS ( DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			7. Lease Name or Unit Agreement Name
1. Type of Well: OIL WELL X WELL	OTHER		State AS
2. Name of Operator Tipperary Oil	and Gas Corporation		8. Well No. 001
3. Address of Operator 800 N. Marienfeld, Suite 100, Midland, Tx 7970			9. Pool name or Wildcat North Bagley Perper Fenn
4. Well Location Unit Letter <u>G</u> : 191	30 Feet From The North	Line and 1980	Feet From The <u>East</u> Line
Section 29 Township 11S Range 33E NMPM LEA County   10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4288' 4288' 1000000000000000000000000000000000000			
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
	PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING
	CHANGE PLANS	COMMENCE DRILLING	
PULL OR ALTER CASING CASING TEST AND C			
OTHER:		OTHER:	
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.			
Set CIBP at 4300'. Cap with 20' of cement. Load hole with mud mixed at 25 sx gel per 100 bbls. Cut $5\frac{1}{2}$ " casing and pull as much as possible (+3100'). Set 100' plug (25 sx) $\frac{1}{2}$ in and $\frac{1}{2}$ out across the stub. Cut 8 5/8" casing and pull as much as possible (+600'). Set 100' plug (40 sx) $\frac{1}{2}$ in and $\frac{1}{2}$ out of stub. Set 100' plug (60 sx) $\frac{1}{2}$ in and $\frac{1}{2}$ out across 13 3/8" shoe (380'). WOC and tag. Set 10 sx plug at surface. Weld on dry hole marker.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SKONATURE	Scarbs	<u>Engineer</u>	date 2/20/96
TYPE OR PRINT NAME W. Jef	frey Sparks		TELEPHONE NO. (915)683-5203
(Thus space for State Use)	Orig. Signed by Paul Kautz Geologist		FEB 2 2 1996
APPROVED BY			DATE

## 

