

COUNTY . LEA		FIELD Crossroads-Devonian/STATE N.M.		
OPR TEXAS PACIFIC OIL COMPANY		/South MAP		
1 State New Mexico "AG"				
Sec. 15, T-10-S, R-36-E CO-ORD				
2130' fr N Line & 1980' fr E Line of Sec.				
Spud 9-10-63		CLASS		EL 4021' 2
Comp 12-8-63		FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING		LOG:		
13 3/8" 361' 350		Anhy 2218		
8 5/8" 4255' 1900		Yates 2897		
5 1/2" 12303' 300		SA 4190		
		Glor 5632		
		Abo 7762		
LOGS EL GR RA IND HC A		Miss 11660		
		TD 12303', PBD 12300'		

IP Devonian Perfs 12288-298' Pmpd 216 BOPD. Pot. Based on 24 hr test, gravity 52.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Loffland Bros. Drlg. Co. PROP DEPTH 12,500' TYPE RT
DATE

F.R. 9-6-63; Oper's Elev. 4021' DF
PD 12,500' - Dev.
Contr. - Loffland Bros. Drlg. Co.
9-16-63 Drlg. 4070' anhy.
9-23-63 Drlg. 6010' lm.
9-30-63 Drlg. 8177' lm.
10-7-63 Drlg. 9300' lm.
10-14-63 Drlg. 10464' lm.
10-21-63 Drlg. 11224' lm. & sh.
10-28-63 Drlg. 11868' lm. & ch.
11-4-63 Drlg. 12245' sh.
11-11-63 TD 12303', WOC.
DST 12167-283', open 2 hrs,
Rec 2000' WB + 270' O&GCM,
1 hr ISIP 4502#, FP 980-1023#,
1 hr 30 min FSIP 4502#.
SLM 12288-12303'.
11-18-63 TD 12303', PBD 12300', prep to swab.
Perf 12288-298' W/1 SPF
Ac. 500 gals (MA)

1-18-63 Swbd 109 BF/12 hrs.
Re-Ac. 2000 gals.
Flwd 102 BO in 16 hrs thru 1" chk., TP 50#
Re-Ac. 3500 gals.
11-26-63 TD 12303', PBD 12300', WO Test Unit
Swbd 150 BO + 49 BW in 24 hrs.
12-2-63 TD 12303', PBD 12300', SI.
12-9-63 TD 12303', PBD 12300', tstg. on pump.
Pmpd 144 BO in 24 hrs.
12-16-63 TD 12303', PBD 12300', tstg. on pump.
Pmpd 76 BO + 10 BW in 24 hrs.
12-30-63 TD 12303', PBD 12300', tstg. on pump.
Pmpd 100 BW in 24 hrs.
1-6-64 TD 12303', PBD 12300', tstg. on pump.
Sqzd leak in csg @ 8840' W/275 sx.

DO cement
1-13-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 60 BO in 24 hrs.
1-20-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 34 BO + 11 BW in 24 hrs.
1-27-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 36 BO + 10 BW in 24 hrs.
1-31-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 28 BO in 24 hrs.
2-10-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 25 BO + 4 BW in 24 hrs.
2-17-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 44 BO + 11 BW in 24 hrs.
2-24-64 TD 12303', PBD 12300', prep to test on pump.
Re-Ac. 7500 gals (12288-298')

3-2-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 41 BO + 14 BW in 24 hrs.
3-9-64 TD 12303', PBD 12300', SI.
Pmpd 55 BO + 30 BW in 24 hrs.
3-16-64 TD 12303', PBD 12300', SI.
3-23-64 TD 12303', PBD 12300', tstg. on pump.
Pmpd 55 BO + 24 BW in 24 hrs.
3-30-64 TD 12303', PBD 12300', SI.
4-6-64 TD 12303', PBD 12300', SI.
4-13-64 TD 12303', PBD 12300', COMPLETED.
SAMPLE TOPS: San Andres 4185', Abo 7750',
Bend 11385', Mississippian lime 11700', Wood-
ford 12200'.
LOG TOP: Devonian 12288'.