

30-025-21305

COUNTY LEA FIELD Bough STATE NM MN 21305
 OWWO
 CPR MC GRATH & SMITH, INC. MAP
 5 Federal "A-13"
 Sec 13, T-9-S, R-35-E
 2310' FSL, 2310' FEL of Sec. CO-ORD

Re-Cmp 2-11-70	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" at 455' w/400 sx				
9 5/8" at 4888' w/2200 sx				
5 1/2" lnr 4763-9825' w/450 sx.				
LOGS EL GR RA IND HC A				
	TD 12,103'; PBD 9753'			

IP (Bough "C") Perfs 9582-98' P 48 BOPD + 179 BW. Pot based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 9598' TYPE WO
 DATE

3-9-70 F.R.C. 3-12-70; Opr's Elev. 4114' DF
 PD 9598' WO (Bough "C")
 (Orig. Pan American Pet. Corp. #6 Federal "A",
 Plugged & Abandoned 9-16-65, OTD 12,103')
 TD 12,103'; PBD 9753'; COMPLETE
 CO to 9825'
 Ran 5 1/2" Liner
 Perf 9582-88', 9592-98' w/2 SPF
 3-12-70 COMPLETION REPORTED

COUNTY	LEA	FIELD	Bough-Devonian	STATE	NM
OPR	PAN AMERICAN PETROLEUM CORPORATION				MAP
6 Federal "A"					
Sec. 13, T-9-S, R-35-E					
2310' fr S & E Lines of Sec.					
Spd 7-18-65					
Cmp 9-16-65					
		CLASS			
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING	LOG:	Anhy 2208			
		Yates 2737			
13 3/8" 455' 400		SA 4019			
9 5/8" 4888' 2200		Glor 5442			
		Abo 7636			
		Wolfe 8850			
LOGS EL GR RA IND HC A		Bo "C" 9574			
		TD 12103'			

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Marcum Drlg. Co. PROP DEPTH 12,100' TYPE
DATE

F.R. 7-22-65; Oper's Elev. 4116' KB
PD 12,100' - Devonian
Contractor - Marcum Drlg. Co.
7-19-65 TD 455', rng csg.
7-26-65 Drlg. 4521'.
8-2-65 Drlg. 6306'.
8-9-65 Drlg. 8237'.
8-16-65 Drlg. 9120'.
8-23-65 Drlg. 10132'.
8-30-65 Drlg. 11024'.
9-7-65 Drlg. 11757'.
9-13-65 TD 12093', on DST 12075-093'.
9-20-65 TD 12103', PLUGGED & ABANDONED.
DST 12075-093', open 1 hr,
rec 130' drlg mud,
1 hr ISIP 4510#, FP 659-666#,
1 hr FSIP 4510#.

LEA Bough-Devonian NM
PAN AMERICAN PET. CORP., #6 Federal "A"

Sec. 13-9S-35E
Page #2

9-20-65

Continued

Cored 12093-103', rec 10' dolo., w/NS.

DST 12093-103', open 3 hrs,

rec 216' WCM + 2400' salty sul wtr
(33,000 ppm),

1 hr ISIP 4510#, FP 822-1252#,

1 hr FSIP 4510#.

LOG TOPS: Canyon 10036', Strawn 10490',

Atoka 10954', Lower Mississippian 11420',

Woodford 11935', Devonian 12074'.