

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs NM 88241-1980

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-21338
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	VA 0333
7. Lease Name or Unit Agreement Name	SHELL STATE
8. Well No.	1
9. Pool name or Wildcat	CUERRO LASGO Large Penn

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator MANZANO OIL CORP.	
3. Address of Operator P.O. BOX 2107 ROSWELL, NM 88202-2107	
4. Well Location Unit Letter B : 330' Feet From The N Line and 2310' Feet From The E Line Section 26 Township 10S Range 32E NMPM LEA County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4297	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1/8/96 HOLE WAS FULL OF DRILLING MUD. PLUGS WERE DISPLACED W/ MUD LADEN FLUID.

1) NMOCD BONNIE 10:00AM. SPOT 50 SXS CMT 5030'. TAG TOC 4907' ON 1/9/96.

1/9/96

2) SPOT 50 SXS CMT W/ 2% CCL 4538'. TAG TOC 4410'. SPOT 45 SXS 4193-4093'. SPOT 75 SXS CMT W/ 2% CCL. TAG TOC 2193'.

1/10/96

3) PULL 8 5/8" CSG FR 1342'.

4) SPOT 75 SXS CMT W/ 2% CCL 490'. TAG TOC 408'. OK AS PER NMOCD.

5) INSTALL 10 SXS CMT SURFACE PLUG.

6) CUT OFF W.H. CO. REP. WILL INSTALL DRY HOLER MARKER & CLEAN UP LOCATION AFTER NEW WELL IS DRILLED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Joey Fields TITLE AGENT DATE 1/22/96

TYPE OR PRINT NAME JOEY FIELDS - SIERRA WELL SERVICE, INC. TELEPHONE NO. 915-688-0160

(This space for State Use)

APPROVED BY Bill E. Pruebe TITLE STATE ENGINEER DATE 1/22/96

CONDITIONS OF APPROVAL, IF ANY:

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-21338

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

VA-0333

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER ☐

2. Name of Operator

Manzano Oil Corporation 505/623-1996

3. Address of Operator

P.O. Box 2107/Roswell, NM 88202-2107

7. Lease Name or Unit Agreement Name

Shell State

8. Well No.

1

9. Pool name or Wildcat

Cuerno Largo Penn

4. Well Location

Unit Letter B : 330 Feet From The North Line and 2310 Feet From The East Line

Section 26 Township 10 South Range 32 East NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

4297' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

12/28/95 MICU. Rig up. MI & unload tbg. Prep to P&A well.
12/29/95 Pick up tbg. TIH w/tbg open ended to 445'. Rig broke down.
12/30/95 Waiting on rig repair.
12/31/95 Waiting on rig repair.
1/02/96 SD for New Years. This a.m. hung off tbg. Will change out rig and continue with P&A.
1/03/96 Change out rigs. Continue in hole w/tbg to 1415'. Tag.
1/04/96 MI reverse unit. Wash to 2019'. Ran tbg to 2242' and circl. Ran tbg to 4542' and circl. Ran tbg to 5120' and circl. Cond mud.
1/05/96 TIH w/tbg. Start circl @ 5120'. Start OOH. Tbg stuck. Worked tbg. Pulled up 16' - tbg parted. POOH w/42 jts. Have 121 jts in hole. Top of fish 1321'.
1/06/96 Tag @ 1405'. Caught fish. Jar 2-1/2 hrs @ 60k#. Jarred loos. POOH.
Recovered all of fish. (OVER)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Allison Hernandez TITLE Engineering Technician DATE 1/16/96

TYPE OR PRINT NAME Allison Hernandez TELEPHONE NO. 623-1996

(This space for State Use)

APPROVED BY Bill E. Pruebe TITLE State Engineer DATE FEB 05 2001

CONDITIONS OF APPROVAL, IF ANY:

1/08/96 SI Sunday. This a.m. prep to TIH and plug well.
1/09/96 TIH open ended to 5026'. Spot 50 sks Class C cement w/CaCl₂ @ 5026'. Pull up into csg. This a.m. tag plug @ 4902'. Spot 50 sks of Class C cement w/2% CaCl₂ @ 4538'.
1/10/96 Tag @ 4410'. Pull up. Set 50 sks plug @ 4193' back to 4093'. Pull up to 2303'. Set 75 sks Class C + 2% CaCl₂. Pull up. WOC 3 hrs. TIH. Tag @ 2193'.
1/11/96 Work, stretch csg. Cut @ 1342'. Pull free. Pull & LD 33 jts 8-5/8" 24# ST&C csg. TIH w/tbg to 490'. Set 75 sx cement plug. WOC 3 hrs. Tag @ 408'. OCD approved tag.
1/12/96 Pump 10 sks surface plug.
1/13/96 Cut off wellhead. Weld on surface plate. Filled cellar.