

COUNTY LEA FIELD Flying M NM
 OPR SOUTHERN UNION SUPPLY CO. MN 21438
 NO 3 LEASE SUSCO State MAP
 Sec 19, T9S, R33E CO-ORD
 660' FSL, 1980' FWL of Sec 5-4-9 NM
 10 mi NE/Caprock Re-SPD 11-23-77 Re-CMP 3-23-78

CSG

13 3/8" at 364' w/350 sx
 8 5/8" at 3663' w/1660 sx
 5 1/2" at 9110' w/300 sx

WELL CLASS: INITDX FIN D ELEV L & S			
FORMATION	DATUM	FORMATION	DATUM
TD 9110' (PSLV)		PBD	

DRY & ABANDONED

CONTR OPRSELEV 4382' DF PD 4500' WO

12-6-77 F.R. 11-21-77 OWWO
 (San Andres)
 (Orig. Union Texas Petroleum Corp. #1 American
 Trading-State, Temp Aban 10-18-65, OTD 9110';
 OWWO as BTA Oil Producers #2 FMS 664 Ltd. &
 Re-comp 2-20-67 thru (Pennsylvanian) Perfs
 9080-92', OTD 9110')
 TD 9110'; PBD 4500'; Recg Ld
 PB to 4500'
 Perf (San Andres) 4368-77' w/1 SPF
 Swbd dry (4368-77')
 Acid (4368-77') 1000 gals (15%)
 Perf (San Andres) 4300-06', 4312-14', 4320-26',
 4330-36', 4340-46' w/1 SPF
 Acid (4300-77') 5000 gals
 Frac (4300-77') 42,000 gals + 54,000# sd
 5-4-9 NM

LEA Flying M
SOUTHERN UNION SUPPLY CO. 3 SUSCO State
Sec 19, T9S, R33E

NM
Page #2

5-22-78 ID 9110'; Dry & Abandoned
5-27-78 May be converted to water disposal well
COMPLETION ISSUED

5-4-9 NM
IC 30-025-70312-77

COUNTY	LEA	FIELD	Undesignated	STATE	NM
OPR	UNION TEXAS PETROLEUM CORP.				MAP
	1 American Trading-State				
	Sec. 19, T-9-S, R-33-E				CO-ORD
	660' fr S Line & 1980' fr W Line of Sec.				
	Spd 8-25-65				
	Cmp 10-18-65		CLASS		
			FORMATION	DATUM	FORMATION
CSG & SX - TUBING					
13 3/8"	364'	350			
8 5/8"	3663'	1660			
5 1/2"	9110'	300			
LOGS	EL	GR	RA	IND	HC A
	TD 9110'				

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran Drlg. Co. PROP DEPTH 9300' TYPE
DATE

F.R. 8-19-65; Opr's Elev. 4383' KB
PD 9300' - Bough "C"
Contractor - Moran
8-31-65 Drlg. 4052' lm.
9-8-65 Drlg. 7460'.
9-14-65 Drlg. 8658' lm.
9-21-65 TD 9110', prep to perf.
DST 9070-9110', open 2 hrs,
GTS 15 mins @ TSTM,
Rec 376' O&GC Drlg Fluid + 2632' salt wtr,
30 min ISIP 3159#, FP 223-223#,
3 hr FSIP 3159#.
9-28-65 TD 9110', swbg.
Perf (Bough "C") 9078-81', 9084-86',
9089-97' W/2 SPF
Swbd 470 Bbls Fluid in 11 hrs & swbd dry.
Ac. 500 gals.

10-5-65 TD 9110', prep to Re-Perf.
Swbd 99 B Salt Wtr, w/tr. oil & gas in
4 hrs.
Squeezed perfs 9078-97' W/50 sx.
Re-Perf 9079-81', 9084-86', 9089-93'
W/2 SPF
Swbd 32 BLW in 4 hrs & swbd dry
10-11-65 TD 9110', prep to pull tubing.
Re-Perf 9079-81', 9084-86', 9089-93'
W/2 SPF
Swbd 32 BLW in 4½ hrs & swbd dry.
Ac. 500 gals.
Swbd 294 B Salt Wtr, w/tr. oil & gas
in 12 hrs.

10-18-65 TD 9110', TEMPORARILY ABANDONED.
Squeezed perfs 9079-93' W/75 sx.
Re-Perf @ 9080', 9091', 9092'
Swbd dry
Ac. 500 gals.
Swbd 59 BW in 4 hrs, w/no shows.
LOG TOPS: Yates 2370', Glorieta 5020',
Tubb 6480', Abo 7336', Wolfcamp "E" 8515',
Bough "C" 9077'.

COUNTY LEA FIELD Flying "M", South STATE NM OWWO

OPR ETA OIL PRODUCERS MAP

2 FMS 664 Ltd.

Sec. 19, T-9-S, R-33-E CO-ORD

660' FSL. 1980' FWL of Sec.

Re-Spd 1-30-67 CLASS awdP EL [REDACTED]

Re-Cmp 2-20-67	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" 364' 350				
8 5/8" 3663' 1600				
5 1/2" 9110' 300				
LOGS EL GR RA IND HC A				
	TD 9110'			

IP Pennsylvanian Perfs 9080-92' Pmpd 43 BOPD + 1050 BW. Pot.
Based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. BEM PROP DEPTH 9110' TYPE WO

DATE

F.R. 2-2-67; OWWO
PD 9110' - Penn.
(Orig. Union Texas Pet. Corp., #1 American
Trading-State, P&A 10-18-65, OTD 9110')
Elev. 4382' DF, Orig.

2-6-67 TD 9110', CO @ 7000'.
2-13-67 TD 9110', prep to test old perfs
CO to 9110'
2-20-67 TD 9110', TO Pump
Acid (Old Perfs 9080-92') 500 gals.
Pmpd 34 BO + 1066 BW in 24 hrs.

2-27-67 TD 9110', TO Pump
Pmpd 25 BO + 1100 BW in 24 hrs.

3-6-67 TD 9110', COMPLETE.
Natural