

COUNTY LEA FIELD Bough STATE NM

OPR PAN AMERICAN PETROLEUM CORP. MAP

1 Flake

Sec. 17, T-9-S, R-36-E CO-ORD

1980' FSL, 660' FWL of Sec. MN 21903

Spd 11-1-66 CLASS

Cmp 2-1-67 EL 4094

FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
13 3/8" 475' 500			
9 5/8" 4872' 2250			
5 1/2" 9810' 500			
LOGS EL GR RA IND HC A			
TD 12136'; PBD 9725'			

IP Bough "C" Perfs 9560-9634' Flwd 1510 MCFGPD + 129 BOPD.
 Pot. Based on 24 hr test thru 20/64" chk., FTP 700#, Gravity
 (Oil) 59. Shut In Gas Well

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Noble
 DATE

PROP DEPTH 9800' TYPE RT

F.R. 11-3-66; Opr's Elev. 4094' KB
 PD 9800' - Bough "C"
 Contractor - Noble Drlg. Co.

11-7-66 Drlg. 3600'.
 11-14-66 Drlg. 4635'.
 11-21-66 Drlg. 5530'.
 Cored 4772-4824', rec 52' dolo., good poro,
 vert fracs., bldg oil & salt wtr.
 Cored 4824-70', rec 46' dolo., good poro.,
 vert fracs., bldg oil & salt wtr.

11-28-66 Drlg. 7674'.
 12-5-66 Drlg. 8978'.
 12-12-66 TD 9631', prep DST.
 Cored 9580-9631', rec 51' lm & sh., scatt
 poro & fracs.

LEA Bough NM
PAN AMERICAN PET. CORP., #1 Flake

Sec. 17-9S-36E
Page #2

12-19-66 Drlg. 10170'.
DST 9561-9631', open 3 hrs 15 mins,
GTS 15 mins @ 439 MCF/GPD,
Rec 360' HO&GCM, 600' free oil + 150' HO&GCM,
1 hr ISIP 3581#, FP 303-429#,
1 hr 40 min FSIP 3948#.
Cored 9705-57', rec 52' being:
4' dns lm., w/NS;
2' lm., bldg salt wtr;
15' dns lm.,
3' lm., vuggy scatt PPP;
21' lm., w/good vuggy poro., bldg salt
wtr;
7' dense lm.
Drlg. 11508'.
1-3-67

1-9-67 Drlg. 11881'.
1-16-67 TD 12136', rng logs.
Cored 12120-12136', rec 14½' sh & dolo.,
w/some vuggy poro in bottom 4'.
DST 12060-136', open 1 hr 30 mins,
Rec 2000' WB + 7500' Salt Wtr,
1 hr ISIP 5660#, FP 2364-4660#,
1 hr FSIP 4600#.
1-23-67 TD 12136', PBD 9725', prep perf.
1-30-67 TD 12136', PBD 9725', tstg.
Perf 9560-68', 9570-86', 9628-34' W/2 SPF
Acid (9560-9634') 2000 gals.
Flwd 138 BO in 24 hrs thru 20/64" chk., TP
600#.
2-7-66 TD 12136', PBD 9725', COMPLETE.

LEA Bough NM
PAN AMERICAN PET. CORP., #1 Flake

Sec. 17-9S-36E
Page #3

2-6-67

Cont.

LOG TOPS: Glorieta 5460', Drinkard 6870',
Abo 7670', Wolfcamp 8838', Bough "C" 9598',
Cisco 9680', Canyon 10068', Atoka 11007',
Woodford 11992', Devonian 12122'.

9598
4072
5506