DISTRIBUTION	H Sto	Form C-103 Supersedes Old
SANTA FE	NEW MEXICO OIL CONSERVACION COMMISSI	<i>C-102 and C-103</i> ON Effective 1-1-65
FILE		11 00
U.S.G.S.	Mev 18 1 43 M '66	5a. Indicate Type of Lease
LAND OFFICE		State Fee
OPERATOR		5, State Oil & Gas Lease No.
Cı	INDRY NOTICES AND DEPORTS ON WELLS	E 7324
(DO NOT USE THIS FORM USE "AF	UNDRY NOTICES AND REPORTS ON WELLS FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RES : PELICATION FOR PERMIT _" (FORM C-101) FOR SUCH PROPOSALS.)	7, Unit Agreement Name
OIL GAS WELL	OTHER-	8, Farm or Lease Name
•	nd & Exploration Company	State 14 9. Well No.
P. O. Box 1696 4. Location of Well	Midland, Texas 79701	2 10. Field and Pool, or Wildcat
	. 660 FEET FROM THE South LINE AND 1980	
THE <u>RAST</u> LINE,	SECTION 14 TOWNSHIP 10-S RANGE 33-E	NMPM. ((((((()))))))
	15, Elevation (Show whether DF, RT, GR, etc.)	12. County
16.	4198 gr., 4211 KB	
	neck Appropriate Box To Indicate Nature of Notice, R OF INTENTION TO:	eport or Other Data JBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON	COMMENCE DRILLING 0"	76
PULL OR ALTER CASING	CHANGE PLANS CASING TEST AND CEMEN	o. 1
		, 1dp X
	OTHER	, July X
OTHER	OTHER	X
OTHER		X
OTHER	eted Operations (Clearly state all pertinent details, and give pertinent d	X
OTHER 17. Describe Proposed or Complework) SEE RULE 1008. Spud 12:30 A.M. Ran 13 jts. 13	eted Operations (Clearly state all pertinent details, and give pertinent details) CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423'	ates, including estimated date of starting any proposed and cemented with 375 sx.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1 fos. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1 fos. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	eted Operations (Clearly state all pertinent details, and give pertinent details) CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423'	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1 fos. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE' 1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE 1608. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	eted Operations (Clearly state all pertinent details, and give pertinent details, and	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE 1608. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement 1	CST 11-9-66. 3/8" 48# H-40 ST&C new casing. Set at 423' with 2% CaCl ₂ . Circ. to surface. Plug down	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs.
OTHER 17. Describe Proposed or Complework) SEE RULE'1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement of Test casing to	eted Operations (Clearly state all pertinent details, and give pertinent details, and	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs. Test O.K.
OTHER 17. Describe Proposed or Complework) SEE RULE'1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement of Test casing to	eted Operations (Clearly state all pertinent details, and give pertinent details, and	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs. Test O.K.
OTHER 17. Describe Proposed or Complework) SEE RULE'1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement of Test casing to	eted Operations (Clearly state all pertinent details, and give pertinent details, and	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs. Test O.K.
OTHER 17. Describe Proposed or Complework) SEE RULE'1703. Spud 12:30 A.M. Ran 13 jts. 13 Class C cement to Test casing to See Complement to See Complemen	eted Operations (Clearly state all pertinent details, and give pertinent details, and	and cemented with 375 sx. 1:35 P.M. CST. WOC 18 hrs. Test O.K.