

COUNTY	LEA	FIELD	Wildcat	STATE	NM	30-025-23834
OPR	BELCO PETROLEUM CORP.			MAP		
1 Midwest 24 State						
Sec 24, T-10-S, R-32-E				CO-ORD		
660' FSL, 660' FWL of Sec						
Spd 7-27-71			CLASS		EL 4271 8	
Cmp 5-5-72			FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING						
12 3/4" at 390' w/400 sx						
8 5/8" at 3710' w/400 sx						
5 1/2" at 10,231' w/350 sx						
LOGS EL GR RA IND HC A						
			TD 10,231'			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Moran	PROP DEPTH.	10,300'	TYPE	RT
DATE					

F.R. 7-27-71; Opr's Elev. 4255' GL
 PD 10,300' RT (Pennsylvanian)
 Contractor - Moran

8-2-71 Drlg. 4135'
 8-9-72 Drlg. 7277' lm
 8-16-71 Drlg. 8792' lm & sh
 8-23-71 Drlg. 9612' lm

DST 9191-9220', open 1 hr 10 mins, Rec 90'
 GCDM + 6174' GC salt wtr, 1 hr ISIP 2962#,
 FP 2696-2950#, 2 hr FSIP 2962#, HP 4740-4714#,
 BH Temp 152 deg
 DST 9318-40', open 1 hr 40 mins, Rec 3100' gas
 in DP + 160' O&GCM + 30' filtrate wtr, 1 hr
 ISIP 2849#, FP 56-107#, 2 hr FSIP 1026#,
 HP 4790-4762#

8-23-71 Continued
DST 9456-9494', open 2 hrs 10 mins, GTS 16 mins
@ 140-95 MCFGPD, Rev out 45.4 BO + 1 BHO&GCM +
3 B. filtrate wtr, 1 hr ISIP 3089#, FP 792-
1071#, 3 hr FSIP 2886#, HP 4765-4752#

8-30-71 TD 10,231'; WOC

9-7-71 TD 10,231'; Swbg
Perf 9453-59', 9468-76' w/1 SPF
Acid (9453-76') 2300 gals (15%)
Swbd 79 BO + 24 BW in 24 hrs (9453-76')

9-13-71 TD 10,231'; Swbg
Swbd 22 BO + 40 BW in 8 hrs (9453-76')
Acid (9453-76') 5000 gals
Swbd 30 BO + 45 BW in 6 hrs (9453-76')
Perf (Bough "B") @ 9154', 9157', 9158',

9-13-71 Continued
9159', 9160', 9161' w/1 SPI
Acid (9154-61') 5000 gals
Swbd 2.61 BO + 71 BW in 5 hrs (9154-61')

9-20-71 TD 10,231'; RU Pmp
Acid (9154-61') 1500 gals (28% HCL)
Swbd 74 BW in 5 hrs (9154-61')

9-27-71 TD 10,231'; TO Pmp
Ppd 1468 BW in 24 hrs (9154-9476')

10-4-71 TD 10,231'; TO Pmp

10-11-71 TD 10,231'; TO Pmp
Pkr @ 9283'
Ppd 52 BO + 35 BW in 24 hrs (9453-76')

10-18-71 TD 10,231'; TO Pmp
Ppd 47 BO + 27 BW in 24 hrs (9453-76')

10-25-71 TD 10,231'; TO Pmp
Ppd 38 BO + 33 BW in 24 hrs (9453-76')

11-1-71 TD 10,231'; TO Pmp
11-8-71 TD 10,231'; SI
Sqzd (9154-61') w/100 sx
Perf @ 9154', 9157', 9158', 9159', 9160',
9161' w/1 SPI
Acid (9154-61') 1000 gals (28%)
11-15-71 TD 10,231'; RU Pmp
Swbd 238 BW in 9 hrs (9154-61')
11-22-71 TD 10,231'; TO Pmp
Ppd 1710 BW in 24 hrs (9154-9476')
11-29-71 TD 10,231'; TO Pmp
12-20-71 TD 10,231'; TO Pmp
1-10-72 TD 10,231'; TO Pmp
Ppd 100% wtr

1-24-72 TD 10,231'; TO Pmp
Ppd 2069 BW in 24 hrs
1-31-72 TD 10,231'; TO Pmp
Ppd 1900 BW in 24 hrs
2-7-72 TD 10,231'; TO Pmp
Ppg water
2-14-72 TD 10,231'; TO Pmp
2-21-72 TD 10,231'; SI
Ppd 1386 BW in 24 hrs (9154-9476')
2-28-72 TD 10,231'; SI
3-2-72 TD 10,231'; TO Pmp
Ppd water
5-8-72 TD 10,231'; TO Pmp
Ppd water
5-15-72 TD 10,231'; TEMPORARILY ABANDONED
Casing Collapsed

LEA Wildcat NM Sec 24, T10S, R32E
BELCO PETROLEUM CORP. 1 Midwest 24 State Page #4

5-15-72

Continued

LOG TOPS: Bough "B" 9151', Bough "C"
9186', Ranger Lake 9443', Middle Pennsylvanian
9981', Lower Pennsylvanian 10,142'

5-20-72

COMPLETION REPORTED