

Gauge No. 731		Depth 4919'		Clock No. 20674		24 hour		Ticket No. 714161			
First Flow Period		First Closed In Pressure		Second Flow Period		Second Closed In Pressure		Third Flow Period		Third Closed In Pressure	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0	.000	102.5	.000	.000	377.4	.000	596.8				
1	.0172	198.0	.0068	.0410	407.4**	.0305	1450.7***				
2	.0344	269.2	.0203	.0752	457.2	.0576	1500.0				
3	.0516	287.7	.0338	.1094	497.1	.0847	1521.2				
4	.0688	309.1	.0474	.1436	532.7	.1118	1533.9				
5	.0860	337.6	.0609	.1778	566.9	.1389	1541.0				
6	.1030	360.3	.0744	.2120	596.8	.1660	1546.7				
7			.0879			.1931	1552.4				
8			.1014			.2202	1555.2				
9			.1150			.2473	1559.4				
10			.1285			.2744	1560.9				
11			.1420			.3015	1563.7				
12			.1555			.3286	1565.1				
13			.1690			.3557	1566.5				
14			.1826			.3828	1567.9				
15			.1960			.4100	1569.4				
Gauge No. 255											
Depth 5040'											
Clock No. 2314											
24 hour											
0	.000	180.9	.000	.000	438.7	.000	660.5				
1	.0167	263.5	.0068	.0403	471.5**	.0303	1504.2***				
2	.0334	334.7	.0203	.0739	522.5	.0572	1553.8				
3	.0501	354.7	.0338	.1074	561.9	.0841	1576.4				
4	.0668	376.0	.0474	.1410	598.5	.1110	1590.6				
5	.0835	400.2	.0609	.1745	629.5	.1379	1600.5				
6	.1000	423.0	.0744	.2080	660.5	.1649	1606.2				
7			.0879			.1918	1611.8				
8			.1014			.2187	1616.1				
9			.1150			.2456	1620.3				
10			.1285			.2725	1623.2				
11			.1420			.2994	1624.6				
12			.1555			.3263	1626.0				
13			.1690			.3532	1627.4				
14			.1826			.3801	1628.8				
15			.1960			.4070	1630.3				
Reading Interval 5											
4											
10											
8											
Minutes											
REMARKS: *First interval equal to 2 minutes **=12 minutes ***=9 minutes											