

Attachment, Sheet No. 2 - 9-330

Gulf Oil Corporation, Federal Hinkle No. 1, 21-13S-30E, Wildcat, P & A

DRILL STEM TESTS Cont'd.

No. 8, 2-18-55 - 1 hour Howco DST from 8062-8099' - 1" surface choke, 1" choke at 8040' - Packers at 8062' & 8054' - Bombs at 8995' & 8090' - Tool opened 10:AM - No gas or fluid to surface - Recovered 10' drilling mud, no shows - HP 3980' - FP 15# - 15 minute BHP 15#.

No. 9, 2-21-55 - 1 hour Howco DST from 8320-8357' - 1" surface choke, 1" choke at 8289' - Packers at 8320' & 8312' - Bombs at 8355' & 8350' - Tool opened 11:AM - No gas or fluid to surface - Very weak blow air for 9 minutes, dead 51 minutes - Recovered 20' drilling mud, no shows - HP 4020# - FP 0# - 15 minute BHP 0#.

No. 10, 3-10-55 - 1 hour Howco DST from 9375-9460' - 1" surface choke, 1" choke at 9351' - Packers at 9367' & 9375' - Bombs at 9335' & 9459' - Tool opened 1:50AM - Weak blow air 15 minutes, dead 45 minutes - Recovered 75' slightly gas cut drilling mud, no shows - HP 4575# - FP 35-65# - 15 minute BHP 65#.

No. 11, 4-3-55 - 2 hour Howco DST from 10,419-10,468' - 1" surface choke, 1" choke at 10,395' - Packers at 10,411' & 10,419' - Bombs at 10,399' & 10,465' - Tool opened 4:08AM - Weak blow air thruout test - Recovered 570' fluid, 180' drilling mud, 390' very slightly gas cut and slightly mud cut water - HP 5315# - FP 35-235# - 15 minute BHP 4030#.

No. 12, 4-4-55 - 1 hour Howco DST from 10,468-10,513' - 1" surface choke, 1" choke at 10,442' - Packers at 10,460' & 10,468' - Bombs at 10,510' & 10,513' - Tool opened 11:46PM - No gas or fluid to surface - Strong to fair blow air thruout test - Recovered 5890' fluid, 270' drilling mud & 5620' salt water - HP 5205# - FP 95-2670# - 15 minute BHP 4330#.

FORMATION TOPS

Anhy.	535'
Yates	1273
San Andres	2600
Glorieta	4015
Tubb	5450
Abo	6245
<i>W. Hamp</i> Penn	7460
Miss	9730
Dev	10,417

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

Handwritten signature