

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office .....  
Lease No. **RECEIVED**  
Unit ..... FEB 21 1962

O. C. C.  
ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	X	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Lease No. 163728  
Peery Federal

TEXACO Inc. P. O. Box 728  
Hobbs, New Mexico February 20, 1962

Well No. 2 is located 660 ft. from ~~ND~~ {S} line and 1980 ft. from ~~WX~~ {E} line of sec. 29

SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , Sec. 29      15-S      30-E      NMPM  
( $\frac{1}{4}$  Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)

Little Lucky Lake (Devonian)      Chaves      New Mexico  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the derrick floor above sea level is 3955 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

To increase production we propose to do the following work:

1. Pressure test casing to 1000 psi with packer that is presently set in 7-inch casing at 11,023'.
2. Set cast iron cement retainer at approximately 11,035'.
3. Squeeze casing perforations from 11,052' to 11,076' with 100 sacks of cement.
4. Perforate 7-inch casing from 10,946' to 10,956' with two jets per foot.
5. Acidize through perforations from 10,946' to 10,956' with 500 gallons of 15% regular acid, if necessary.
6. Swab, test, and return to production.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company ..... TEXACO Inc. ....

Address ..... P. O. Box 728 .....

..... J. G. Blevins, Jr. ....

..... Hobbs, New Mexico .....

By   
Title Assistant District Superintendent