Form 9-331a (Feb. 1951)

PROVED

1 953

SHOOK
SHOOK
SHOOK
SHOOK
SHOOK N. M. O. C. C. CURX

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY 7 15

| Budget Bu Form App | reau No. 42 roved. | -R358.4. | | | |
|-----------------------|-----------------------|----------|--|--|--|
| Land Office | LC | | | | |
| Loase No. 069832 | | | | | |
| Unit R | "CE | VER | | | |
| | UL 12 | _ | | | |

SUNDRY NOTICES AND REPORTS ON WELLS C. C.

| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF | | | |
|---|--|--|--|--|
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | | | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING | | | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | | | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT | | | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING. | SUPPLEMENTARY WELL HISTORY. | | | |
| NOTICE OF INTENTION TO ABANDON WELL. Subsequent Report of Conversion to Wi | ater injection X | | | |
| (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) | | | | |

| South Caprock Queen Unit | | • | July 3 , 19. | |
|--------------------------|--------|---------------------------|--|--------|
| Trans C | | om ${S \atop S}$ line and | d 1981 ft. from $\begin{pmatrix} \mathbf{W} \\ \mathbf{W} \end{pmatrix}$ line of | sec. 4 |
| SHE Sec 4 | 15-S | 31-E | мен | |
| (1/4 Sec. and Sec. No.) | (Twp.) | (Range) | (Meridian) | |
| Caprock Queen | Chaves | | New Mexico | |
| (Field) | (Cou | nty or Subdivision) | (State or Territory) | |

The elevation of the derrick floor above sea level is 4427 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pulled rods and tubing. Cleaned out to TD of 3150°. Ran 3110° of 2" plastic lined eue, 8rt, J-55 tubing to 3118° w/tension packer on bottom. Filled annulus w/inhibited water. Placed well on water injection on 7-4-63. Initial rate 650 B/D at 0 psig.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

| Company | Union Uil Company of California | 3 |
|---------|---|---------------------|
| Address | 205 East Washington | Dis |
| | Lovington, New Mexico | By R. H. BUTLER |
| | | Title Unit Engineer |
| | *************************************** | |