

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

RECEIVED NOV 1 1948

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Roswell, New Mexico

11-8-48

Place

Date

OIL CONSERVATION COMMISSION, Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as The Vickers Petroleum Co., Inc. State A Well No. 2 in OSW SW Company or Operator Lease

of Sec. 18, T 13S, R 32E, N. M., P. M., Caprock Field, Lea County.

N

The well is 660 feet (N.) of the South line and 660 feet (E.) of the West line of Section 18

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. B-10973 Assignment No.

If patented land the owner is


Address

If government land the permittee is

Address

The lessee is The Vickers Petroleum Co., Inc.

Address Box 744 Roswell, New Mexico



AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Rotary to 3000' or top of red sand and drill in with cable tools.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket bond dated 11-19-47

We propose to use the following strings of casing and to land or cement them as indicated:

Table with 7 columns: Size of Hole, Size of Casing, Weight Per Foot, New or Second Hand, Depth, Landed or Cemented, Sacks Cement. It lists two casing strings: one 9 5/8 inch hole with 8 5/8 inch casing, 28.55 weight per foot, new, 300 feet depth, cemented, 150 sacks; and another 7 7/8 inch hole with 5 1/2 inch casing, 14 weight per foot, new, 3000 feet depth, 600 sacks.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3010 feet.

Additional information:

Approved, 1948, except as follows:

Sincerely yours, The Vickers Petroleum Co., Inc. Company or Operator

By Lonnie Kemper Production Supt.

Send communications regarding well to Mr. Lonnie Kemper Name

Address Box 744 Roswell, New Mexico

OIL CONSERVATION COMMISSION By Roy Yankovsky Title OIL & GAS INSPECTOR