

OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

Miscellaneous Reports on Wells

RECEIVED
NOV 20 1950
OIL CONSERVATION COMMISSION
OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

West McDonald, New Mexico

November 14, 1950

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the.....

The Sharples Oil Corporation Seth Alston Well No. 1 in the
Company or Operator Lease

SW1 SW1 of Sec. 17, T. 13S, R. 35E, N. M. P. M.,

Wildcat Field Lea County.

The dates of this work were as follows: November 12, 1950 November 14, 1950

Notice of intention to do the work was ~~submitted~~ submitted on Form C-102 on November 17, 1950 19.....

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Spudded well in November 12, 1950. Drilled 12 1/4" hole to 335', reamed hole to 17 1/8". Ran 320.55' of 13 3/8" OD, 8 rd thd casing, 48# Rge 2 with Texas Pattern Type J shoe on bottom. Welded bottom three joints. Cemented pipe with 280 sacks of common cement. Pipe set at 319.45' Kelley Bushing measurement. Cement circulated to surface.

Ground Elevation: 4084.395
Derrick Floor Elevation: 4102.395

Witnessed by J.A. Tipton The Sharples Oil Corporation Field Supt.
Name Company Title

Subscribed and sworn before me this 18th

day of November, 19 50.

Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name J.A. Tipton

Position Field Supt

Representing _____
Company or Operator

My commission expires April 2nd-1953

Address _____

Remarks:

APPROVED

Date NOV 21 1950

Ray Yankrough
Name
Oil & Gas Inspector
Title