

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Cavalcade Oil Corporation		8. Farm or Lease Name Slack R/A "A"
3. Address of Operator P. O. Box 16187, Lubbock, TX 79490		9. Well No. 4
4. Location of Well UNIT LETTER <u>D</u> <u>990</u> FEET FROM THE <u>North</u> LINE AND <u>990</u> FEET FROM THE <u>West</u> LINE, SECTION <u>18</u> TOWNSHIP <u>12S</u> RANGE <u>38E</u> NMPM.		10. Field and Pool, or Wildcat Gladiola, Wolfcamp
15. Elevation (Show whether DF, RT, GR, etc.) 3892 KB		12. County Lea

**Check Appropriate Box To Indicate Nature of Notice, Report or Other Data**  
**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐  
TEMPORARILY ABANDON ☐  
PULL OR ALTER CASING ☐  
OTHER ☐

PLUS AND ABANDON ☐  
CHANGE PLANS ☐  
OTHER ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐  
COMMENCE DRILLING OPNS. ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER ☐  
ALTERING CASING ☐  
PLUS AND ABANDONMENT ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1/31/86 Begin P&A procedures, tag bottom of hole at 8651.99'.

02/03/86 Mix mud and load hole with 50 sacks saltwater gel per 200 barrels of saltwater.

Set plug #1 from 8650'-8500' with 18½ sacks Class "H" cement

Set plug #2 from 4650'-4550' with 12½ sacks Class "H" cement

02/04/86 Perforate 5½" casing @ 4300' - Cement with 85 sacks Class "H" cement and displace cement into 5½"-8 5/8" annulus - Shut down for 2 hours - left 50' cement inside 5½" casing @ 4250'/

Set plug #3 at surface with 15 sacks Class "H" cement - install dry hole marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Michael G. Mooney TITLE Drlg. & Prod. Manager DATE 02/06/86

Michael G. Mooney

APPROVED BY Jack Griffin TITLE OIL & GAS INSPECTOR DATE APR 2 1987

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED  
FEB -7 1986  
O.C.D.  
HOBBS OFFICE