


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico **HOBBS OFFICE 000**

WELL RECORD

1953 APR 28 AM 9:30



AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Standard Oil & Gas Company
(Company of Operator)

Henry A. Burris
(Lease)

Well No. **9**, in **NE** 1/4 of **SE** 1/4 of Sec. **28**, T. **18N**, R. **10E**, NMPM.

Madala Division

Pool,

100

County.

Well is **640'** feet from **North** line and **300'** feet from **East** line

of Section **28**. If State Land the Oil and Gas Lease No. is

Drilling Commenced **February 15,** 19**53** Drilling was Completed **April 17,** 19**53**

Name of Drilling Contractor **Datta Drilling Company**

Address **Tyler, Texas**

Elevation above sea level at Top of Tubing Head **3800'**. The information given is to be kept confidential until 19**53**.

OIL SANDS OR ZONES

No. 1, from **11,010'** to **11,970'** No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
17-1/2"	25.6	N	300				Running
9-5/8"	20.0	N	1600				Intermediate
5-1/2"	17.0	N	11,970			11970 - 11980	Production
2-1/2"	6.7	N	11,970				Tubing

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/2"	17-1/2"	300	375	Ballston		
30-1/2"	9-5/8"	1,600	2100	"		
7-1/2"	5-1/2"	11,970	150	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No. Stimulation - Natural production

Result of Production Stimulation

Orig. A. Jan. 1950

001 712, 873, 7110

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from Surface feet to 11,978 feet, and from feet to feet.
 Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing..... April 25, 1948

OIL WELL: The production during the first 24 hours was 100 barrels of liquid of which 100 % was
 was oil; 0 % was emulsion; 0 % water; and 0 % was sediment. A.P.I.
 Gravity..... 1.12

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
 liquid Hydrocarbon. Shut in Pressure..... lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy..... <u>1057</u>	T. Devonian..... <u>11,947</u>	T. Ojo Alamo.....	
T. Salt..... <u>1300</u>	T. Silurian.....	T. Kirtland-Fruitland.....	
B. Salt.....	T. Montoya.....	T. Farmington.....	
T. Yates..... <u>272</u>	T. Simpson.....	T. Pictured Cliffs.....	
T. 7 Rivers.....	T. McKee.....	T. Menefee.....	
T. Queen..... <u>300</u>	T. Ellenburger.....	T. Point Lookout.....	
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....	
T. San Andres..... <u>1100</u>	T. Granite.....	T. Dakota.....	
T. Glorieta..... <u>1300</u>	T.	T. Morrison.....	
T. Drinkard..... <u>1500</u>	T.	T. Penn.....	
T. Tubbs..... <u>1700</u>	T.	T.	
T. Abo..... <u>1800</u>	T.	T.	
T. Penn..... <u>2000</u>	T.	T.	
T. Miss..... <u>11,905</u>	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
<u>1057</u>	<u>1300</u>	<u>243</u>	<u>Sand and Gypsum</u>				
<u>1300</u>	<u>1500</u>	<u>200</u>	<u>Salt</u>				
<u>1500</u>	<u>1700</u>	<u>200</u>	<u>Anhydrite and Gypsum</u>				
<u>1700</u>	<u>1800</u>	<u>100</u>	<u>Salt and Anhydrite</u>				
<u>1800</u>	<u>1900</u>	<u>100</u>	<u>Salt, Anhy. & Gypsum</u>				
<u>1900</u>	<u>2000</u>	<u>100</u>	<u>Salt and Anhydrite</u>				
<u>2000</u>	<u>2100</u>	<u>100</u>	<u>Salt</u>				
<u>2100</u>	<u>2200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2200</u>	<u>2300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2300</u>	<u>2400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2400</u>	<u>2500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2500</u>	<u>2600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2600</u>	<u>2700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2700</u>	<u>2800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2800</u>	<u>2900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>2900</u>	<u>3000</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3000</u>	<u>3100</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3100</u>	<u>3200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3200</u>	<u>3300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3300</u>	<u>3400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3400</u>	<u>3500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3500</u>	<u>3600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3600</u>	<u>3700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3700</u>	<u>3800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3800</u>	<u>3900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>3900</u>	<u>4000</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4000</u>	<u>4100</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4100</u>	<u>4200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4200</u>	<u>4300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4300</u>	<u>4400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4400</u>	<u>4500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4500</u>	<u>4600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4600</u>	<u>4700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4700</u>	<u>4800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4800</u>	<u>4900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>4900</u>	<u>5000</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5000</u>	<u>5100</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5100</u>	<u>5200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5200</u>	<u>5300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5300</u>	<u>5400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5400</u>	<u>5500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5500</u>	<u>5600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5600</u>	<u>5700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5700</u>	<u>5800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5800</u>	<u>5900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>5900</u>	<u>6000</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6000</u>	<u>6100</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6100</u>	<u>6200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6200</u>	<u>6300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6300</u>	<u>6400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6400</u>	<u>6500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6500</u>	<u>6600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6600</u>	<u>6700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6700</u>	<u>6800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6800</u>	<u>6900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>6900</u>	<u>7000</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7000</u>	<u>7100</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7100</u>	<u>7200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7200</u>	<u>7300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7300</u>	<u>7400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7400</u>	<u>7500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7500</u>	<u>7600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7600</u>	<u>7700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7700</u>	<u>7800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7800</u>	<u>7900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>7900</u>	<u>8000</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8000</u>	<u>8100</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8100</u>	<u>8200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8200</u>	<u>8300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8300</u>	<u>8400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8400</u>	<u>8500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8500</u>	<u>8600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8600</u>	<u>8700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8700</u>	<u>8800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8800</u>	<u>8900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>8900</u>	<u>9000</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9000</u>	<u>9100</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9100</u>	<u>9200</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9200</u>	<u>9300</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9300</u>	<u>9400</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9400</u>	<u>9500</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9500</u>	<u>9600</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9600</u>	<u>9700</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9700</u>	<u>9800</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9800</u>	<u>9900</u>	<u>100</u>	<u>Salt and Gypsum</u>				
<u>9900</u>	<u>10000</u>	<u>100</u>	<u>Salt and Gypsum</u>				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

April 25, 1948
(Date)

Company or Operator..... Minerals Oil & Gas Company
 Name..... G. C. Miller
 Address..... 500 E. Broadway - El Paso, New Mexico
 Position or Title..... District Superintendent