

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL	X	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICOHobbs, New Mexico
(Place)September 17, 1962
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the Pan American Petroleum Corporation

State A-19 Well No. 3 in N
(Company or Operator) (Unit)
SE 1/4 NE 1/4 of Sec. 19, T. 12-S, R. 30-E, NMPM., Gladiola Pool
(40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Pursuant to telephone approval on 9/11/62, Mr. J. D. Ramey to D. E. Tayler, the following is submitted: This well was temporarily abandoned on 5/6/59 after an unsuccessful attempt to recomplete from the Devonian to the Mississippian and Pennsylvanian formations. Since there are no further workover possibilities, we propose to FIA as follows:
Spot 15 Sx cement plug across perforations 11365'-85', 15 Sx. plug across perforations 11,160'-85', cut and pull 5-1/2" casing from approx. 10,875', spot 25 Sx. plug in and out of 5-1/2" casing stub; 20 Sx. plug from 9160-9100', 20 Sx. 7210-7150', 20 Sx. 5960'-5900', 20 Sx. in and out of 9-5/8" casing shoe at 4610', cut and pull 9-5/8" casing from approx. 1400', spot 20 Sx. plug in and out of 9-5/8" stub; 25 Sx. plug in 13-3/8" casing shoe at 315'. 10 Sx. plug at surface. Erect FIA marker and restore ground to natural contour. All intervals to be filled with heavy mud laden fluid.

Approved....., 19.....
Except as follows:Pan American Petroleum Corporation
Company or OperatorBy V. E. StaleyPosition Area Superintendent

Send Communications regarding well to:

Approved
OIL CONSERVATION COMMISSIONBy Joe D. RameyName V. E. StaleyAddress Box 68, Hobbs, New Mexico

Title

