

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease  
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS  
DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT - I" (FORM C-101) FOR SUCH PROPOSALS.

7. Unit Agreement Name

8. Farm or Lease Name  
Head State

9. Well No.  
1

10. Field and Pool, or Wildcat  
Austin Mississippian

11. Elevation (Show whether DF, RT, GR, etc.)  
3954' GR

12. County  
Lea

1. ☐ WELL ☒ GAP WELL ☐ OTHER-

2. Name of Operator  
Yates Petroleum Corporation

3. Address of Operator  
207 South 4th St., Artesia, NM 88210

4. Location of Well  
BY LETTER G, 1980 FEET FROM THE North LINE AND 1980 FEET FROM East LINE, SECTION 20 TOWNSHIP 14S RANGE 36E NMPM.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PARIALLY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
		OTHER Perforate & Treat <input checked="" type="checkbox"/>	

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed operations.) SEE RULE 1103.

13550'; PBDT 13115' WIH w/casing gun on wireline and perforated 12782-86' w/16 .34" holes (4 spf). Acidized perforations 12782-86' w/2000 gallons 7-1/2% MS acid & nitrogen. Recovered load. Swabbed well.

13550'; PBDT 12665' Pulled tubing & packer. Set CIBP at 12700' Dumped 35' cement on top. WIH w/casing gun on wireline & perforated 11786-90' w/10 .34" holes. Ran packer dry set at 11725'. Ran swab. No fluid in hole. Acidized perforations 11786-90' w/1000 gallons 15% DS-30 acid & nitrogen plus ball sealers. Swabbed well dry in 8 runs. Gas TSTM. Plan to plug and abandon well.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Martha Goodlett TITLE Engineering Secretary DATE January 9, 1981

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE 1981

COPIES OF APPROVAL, IF ANY: