



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



WELL RECORD



AREA 640 ACRES LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Gulf Oil Corporation L. R. Chamberlain

Well No. 2-D in NE NW of Sec. 14, T. 15S

R. 37E, N. M. P. M., Denton Field, Lea County.

Well is 660 feet south of the North line and 1980 feet East of the East line of Section 14

If State land the oil and gas lease is No. Assignment No. If patented land the owner is L. R. Chamberlain Address Houston, Texas

If Government land the permittee is Address The Lessee is Gulf Oil Corporation-Ft Worth Prod. Division Address Box 1290, Fort Worth, Tex.

Drilling commenced April 5 1951 Drilling was completed December 15 1951

Name of drilling contractor Parker Drilling Company Address Elevation above sea level at top of casing 3805 feet.

The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 11,883' to 12,745' No. 4, from to No. 2, from to No. 5, from to No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet.

CASING RECORD

Table with 9 columns: SIZE, WEIGHT PER FOOT, THREADS PER INCH, MAKE, AMOUNT, KIND OF SHOE, CUT & FILLED FROM, PERFORATED FROM TO, PURPOSE. Rows include 13-3/8", 9-5/8", 7-5/8", Liner, and 5-1/2" casing.

MUDDING AND CEMENTING RECORD

Table with 7 columns: SIZE OF HOLE, SIZE OF CASING, WHERE SET, NO. SACKS OF CEMENT, METHOD USED, MUD GRAVITY, AMOUNT OF MUD USED. Rows include 17-1/4" x 13-3/8", 12-1/4" x 9-5/8", 9-7/8" x 7-5/8", and Liner 5-1/2".

PLUGS AND ADAPTERS

Heaving plug--Material Length Depth Set Adapters--Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

Table with 7 columns: SIZE, SHELL USED, EXPLOSIVE OR CHEMICAL USED, QUANTITY, DATE, DEPTH SHOT OR TREATED, DEPTH CLEANED OUT. Row includes 1% NE Acid, 4000, 12-13-51, 12590-12330'.

Results of shooting or chemical treatment Flowed 271 bbls oil no water thru 2-3/8" tubing 1-1/4" Choke in 10 hours.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0' feet to 12841' feet, and from feet to feet. Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to producing December 15 19 51 The production of the first 24 hours was 604 (Est) barrels of fluid of which 100% was oil; 0% emulsion; 0% water and 0% sediment. Gravity, 46 If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas Rock pressure, lbs. per sq. in.

EMPLOYEES

Parker Drilling Company Driller Driller Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Place Date Hobbs, New Mexico January 14, 1952

Signature: M. R. ...

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0'	17'		Distance from Top Kelly Bushing to Top of Ground
	6082		Surface Sand
	215		Sand
	395		Red Bed
	1929		Red Bed and Shale
	2183		Red Bed and Shale
	2203		Red Bed
	2275		Salt
	2305		Red Bed
	2420		Salt
	2490		Red Bed and Shale
	2558		Red Bed and Salt
	2852		Salt and Anhydrite
	3012		Salt
	3152		Red Bed
	3240		Salt and Shale
	3434		Anhydrite and Gyp
	3725		Anhydrite
	3828		Anhydrite, Lime and Shale
	3965		Broken Shale and Lime
	4015		Anhydrite and Limestone
	4100		Shale and Anhydrite
	4140		Shale and Lime
	4225		Anhydrite and Shale
	4364		Shale and Lime
	4448		Shale and Anhydrite
	4500		Anhydrite and Lime
	4669		Shale and Lime
	4695		Shale and Anhydrite
	4800		Anhydrite and Lime
	4906		Lime
	5032		Lime and Shale
	5290		Lime
	5509		Sandy Lime
	5630		Lime
	5790		Sandy Lime
	5832		Lime
	5907		Sandy Lime
	5987		Lime
	6027		Sandy Lime
	6140		Lime
	6241		Sandy Lime
	6705		Lime
	6827		Lime and Shale
	6927		Lime
	6963		Lime and Shale
	7049		Lime
	7141		Lime and Shale
	7225		Lime
	7270		Shale and Lime
	7317		Lime
	7343		Lime and Shale
	7463		Lime
	7607		Lime and Shale
	7892		Lime
	7965		Sandy Lime
	8738		Lime
	8750		Lime and Shale
	8772		Lime
	8781		Lime and Shale
	8836		Lime
	8856		Lime and Shale
	9028		Lime
	9111		Lime and Shale
	9114		Lime
	9167		Lime and Shale
	9170		Lime
	9191		Lime and Shale
	9192		Lime
	9282		Lime and Shale
	9307		Lime
	9327		Lime and Shale
	9333		Shale
	9344		Lime and Shale
	9385		Shale
	9424		Shale and Lime
	9432		Lime
	9446		Lime and Shale
	9476		Lime
	9485		Lime and Shale
	9563		Lime
	9581		Lime and Shale
	9595		Lime
	10567		Lime and Shale
	10588		Lime
	10596		Lime and Shale
	10812		Lime and Shale
	10823		Shale
	10941		Lime and Shale
	10942		Lime
	10977		Lime and Shale
	10980		Lime and Shert
	10982		Lime, Shale and Chert
	10984		Chert
	11000		Lime and Shale
	11004		Chert and Lime
	11014		Lime and Shale
	11046		Chert and Lime
	11053		Lime and Shale
	11060		Shale and Chert
	11094		Lime and Chert
	11112		Shale and Chert
	11117		Lime
	11118		Shale and Chert
	11165		Lime and Chert
	11175		Lime
	11251		Lime and Chert
	11274		Lime and Shert Shale
	11278		Lime, Shale and Chert
	11332		Lime and Chert
	11340		Lime and Shale
	11344		Shale
	11350		Lime and Shale