

FROM	TO	THICKNESS IN FEET	FORMATION
0	185'	185	Caliche and Surface Sand
185'	230'	45'	Red Bed and Shells
230'	1167'	937'	Red Bed
1167'	1340'	173'	Red Bed & Shells
1340'	1520'	180'	Red Bed and Anhydrite
1520'	1525'	5'	Red Bed
1525'	1617'	92'	Anhydrite and Shale
1617'	1670'	53'	Anhydrite
1670'	1710'	40'	Anhydrite and Shale
1710'	1885'	175'	Salt and Shale
1885'	2405'	520'	Salt and Shells
2405'	2626'	221'	Salt and Anhydrite Shells
2626'	2685'	59'	Anhydrite
2685'	2805'	120'	Anhydrite and Shells
2805'	2882'	77'	Anhydrite and Lime
2882'	2938'	56'	Anhydrite
2938'	3071'	133'	Anhydrite and Lime
3071'	3142'	71'	Anhydrite
3142'	3204'	62'	Lime
3204'	3211'	7'	Bowers Sand
3211'	3224'	13'	Lime
3224'			Total Depth

GEOLOGICAL TOPS

Elevation, Derrick Floor	3655'
Elevation, Ground	3645'
Base of Red Bed	1580'
Top of Salt	1710'
Top of Yates	2710'
Top of Pay (Bowers Sand)	3204-3211'

SLOPE TESTS

500'	Straight
950'	1 Degree
1350'	1 Degree
1617'	1 Degree
1850'	3/4 Degree
2250'	1 1/4 Degree
2600'	1 1/2 Degree
2750'	1 1/4 Degree
2900'	1 3/4 Degree
3010'	1/2 Degree