

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC-065710

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

DEC 13 10 59 AM '66

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
PAN AMERICAN PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR
Box 68, Hobbs, New Mexico 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1650' E.S. 6 x 1980' E.E. 6 Sec. 28 (Unit J, NW/4 SE/4)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

7. UNIT AGREEMENT NAME

PLAINS UNIT FEDERAL

8. FARM OR LEASE NAME

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

WILDCAT-WOLFCAMP

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

28-19-32 NMPM

12. COUNTY OR PARISH 13. STATE

LEA

N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Recompletion work
(NOTE: Report results of multiple completion on Well Completion or Recombination Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well Name formerly: Plains Unit Operating Area, Well No 5.

Recompletion operations performed as follows: Wolfcamp Zone:
"Set Cast Iron Bridge plug @ 11,360' and capped w/ 10' cement. Perforated interval 10,719-739' w/ 2JSPF. Acidized w/ 2000 gal LSTNG. Evaluated."

On PF, FLW 304 BO x 0 BW in 21 hours thru 30/64" choke. TPF 880. Cgr. 44.6°. GOR 1560.

TD- 11605'

PBD- 11290'

OC- 11-29-66
Comp. 12-4-66

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Area Supt

DATE

12-5-66

(This space for Federal or State office use)

APPROVED BY

TITLE

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

DATE

DEC 9 1966

J L GORDON
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

- 0+ 4- USGS-14
- 1- NSW
- 1- SUSO
- 1- RRY
- 1- MOBIL-MID.
- 1- C.V. BAYES
- 1- JMGARNER
- 1- W.F. SPENCER