



IP (San Andres) Perfs 5574-84' P 8 BOPD + 2 BW. Pot
based on 24 hr test. GOR TSTM; gty 38

CONTR 3822' GL PD 5700' RT

F.R. 12-31-79
(San Andres)
3-17-80 TD 5670'; PBD 5630'; SI
Perf (San Andres) 5574-84' (overall)
Acid (5574-84') 1000 gals
Frac (5574-84') 20,000 gals + 15,000# sd
5-19-80 TD 5670'; PBD 5630'; Complete
LOGS RUN: CNBL, DILL, MICL
5-24-80 COMPLETION ISSUED

5-4-6 NM
IC 30-025-70512-79

Pool W. ARKANSAS JCT. SA, WEST

Operator V. H. Westbrook

Lease State of New Mexico W

Well No. 2

Unit D

S

28

T

18

R

36

DATE OF TEST	3	Daily Allowable	PRODUCED DURING TEST			Gas-Oil Ratio	Packer Leakage Field
			Water, Bbls.	Oil, Bbls.	Gas, MCF		
3-28-80	24	0	0	8	2	2000-1	
3-6-81	24	0	0	4	2	2000-1	
3-1-85	24	4	0	7	12	1500-1	
10-14-82	24	12	0	8	10	1250-1	
3-3-83	24	12	1	2	11	1250-1	
2-2-74	24	12	1	2	11	1250-1	
1-1-86	24	6	4	1	6	1200-1	
2-2-86	24	6	5	1	6	1300-1	
3-2-87	24	6	5	1	6	800-1	
3-8-88	24	5	2	1	4	800-1	
3-6-89	24	5	2	1	4	4000-1	
3-6-90	24	5	2	1	4	4000-1	
3-8-91	24	5	2	1	4	4000-1	
3-8-92	24	5	2	1	4	4000-1	
3-2-93	24	5	2	1	4	4000-1	

Pool

Operator

Lease

Well No.

Unit

5

T

R

DATE OF TEST

Daily Allowable

Water, Bbls.

Oil, Bbls.

Gas, MCF

Gas-Oil
Ratio

Pa ker
Leaka e Field