

WRS COMPLETION REPORT

COMPLETIONS SEC 26 TWP 17S RGE 33E
PI# 30-T-0009 03/16/90 30-025-30657-0000 PAGE 1

NMEX LEA * 1980FSL 1880FWL SEC NE SW
STATE COUNTY FOOTAGE SPCT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN
37 PHILMEX
WELL NO LEASE NAME
4142KB 4135GR MALJAMAR
OPER ELEV FIELD POOL AREA
API 30-025-30657-0000

LEASE NO PERMIT OR WELL I.D. NO
10/08/1989 03/04/1990 ROTARY VERT OIL
SPUD DATE COMP DATE TYPE TOOL HOLE TYPE STATUS
4900 GRBG-SAD L & M DRLG CO 2 RIG SUB 7
PROJ DEPTH PROJ FORM CONTRACTOR
DTD 4800 LTD 4801 PB 4755 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

7 MI W BUCKEYE, NM

CASING/LINER DATA

CSG 8 5/8 @ 1500 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1200 SACKS

TUBING DATA

TBG 2 3/8 AT 4620

INITIAL POTENTIAL

IPP 23BOPD 2.5MCFD 10BW 24HRS
GRAYBURG PERF W/ 58/IT 4205- 4514 GROSS
SN ANDRS PERF W/ 24/IT 4564- 4618 GROSS
GTY 36.9 GOR 108
FIELD /RESERVOIR

/GRAYBURG-SAN ANDRES
PPD 23 BO + 2.5 MCFG + 10.1 BW IN 24 HRS
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1425 2717	
LOG	SALT		1590 2552	2630 1512
LOG	QUEEN		3774 368	
LOG	GRAYBURG		4162 -20	
LOG	SN ANDRS		4524 -382	

CONTINUED IC# 300257022689

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI WRS GET
Form No 187

BB a company of
The Dan & Bradstreet Corporation

COMPLETIONS
PI# 30-T-0009 03/16/90 SEC 26 TWP 17S RGE 33E
30-025-30657-0000 PAGE 2

PHILLIPS PET
37 PHILMEX D DO

TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

PTS 7B0 27BW 8HRS
GRAYBURG PERF W/ 58/IT 4205- 4514 GROSS
SN ANDRS PERF W/ 24/IT 4564- 4618 GROSS
PERF 4205- 4208 4227- 4230 4232- 4234 4294- 4298
PERF 4338- 4344 4417- 4421 4483- 4488 4512- 4514
PERF 4564- 4569 4616- 4618
ACID 4205- 4618 4000GALS
15% NEFE HCL
ACID 4564- 4618 500GALS
15% NEFE HCL (RE-ACIZIDE)
SWFR 4205- 4618 58000GALS 176400LBS SAND
POLYEMULSION 16/30 MESH ADDTVGELA
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4800 DLL 2500- 4800 GR 2500- 4800 CAL
LOGS 2500- 4800 LDT 2500- 4800 CNL 0- 2500 CNL
LOGS 0- 2500 GR 0- 2500 CAL 3500- 4759 CBL
LOGS 3500- 4759 CCL 3500- 4759 GR 67- 4800 CNL
LOGS 67- 4800 LDT 1450- 4801 DLL 1450- 4801 MSFL

DRILLING MEDIA /TYPE,DEPTH/

2601 10.0

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK ST
ODESSA, TX 79762
915-367-1266
08/25 LOC/1989/
10/11 DRLG 2601, VIS 28, PH 8.5
10/11 DEVIATION SURVEYS @ 506 (3/4 DEG), 1020 (3/4
DEG), 1500 (3/4 DEG), 2041 (1 DEG), 3087 (3/4
DEG), 3585 (3/4 DEG), 4053 (3/4 DEG), 4660 (1/2

CONTINUED

COMPLETIONS SEC 26 TWP 17S RGE 33E
PI# 30-T-0009 03/16/90 30-025-30657-0000 PAGE 3

PHILLIPS PET
37

PHILMEX

D DO

DRILLING PROGRESS DETAILS

DEG), 4800 (1 DEG)
10/18 4800 TD, WOCT
10/31 4800 TD, PB 4759, PREP SWB
11/09 4800 TD, PB 4759, SI
TD REACHED 10/15/89 RIG REL 10/17/89
03/15 4800 TD, LTD 4801, PB 4755
COMP 3/4/90, IPP 23 BO, 2.5 MCFG, 10.1
BWP, GOR 108, GTY 36.9
PROD ZONE - GRAYBURG-SAN ANDRES 4205-4618
(COMMINGLED)
NO CORES OR DSTS RPTD