

COUNTY IEA FIELD Vacuum STATE NM 30-025-23288

CORP MOBILE OIL CORP. MAP

130 Bridges - State

Sec 15, T-17-S, R-34-E

CO ORD

1980' PNE, 660' FEI of Sec.

Spd 9-18-69

CLASS

EL 40582

Cmp 12-8-69

FORMATION

DATUM

FORMATION

DATUM

Casing & SX - TUBING

13 3/8" at 339' w/495 sx

9 5/8" at 4976' w/2300 sx

7" for 4891-12,200' w/1600 sx.

LOGS EL GP RA IND HC A

TD 12,612'

1P (Morrow) OH 12,200-612' F 132 BOPD. Pot based on 24 hr test
thru 12/64" chk. GOR 11,665; Grav 50.2; TP 3380#.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. A. W. Thompson

PROP DEPTH 12,500' TYPE

DATE

P.R. 9-16-69

PD 12,500' (Morrow)

Contractor - A. W. Thompson

9-22-69 Drlg. 3067' anhy

9-29-69 Drlg. 4587' 1m

10-6-69 Drlg. 5798' 1m

10-14-69 Drlg. 8235' 1m & sh

10-20-69 Coring @ 8604'

10-27-69 Drlg. 10,197' 1m

Cored 8585-8632', rec 47' dolo & anhy w/vuggy
poro, bldg oil from 8615-19'

11-3-69 Drlg. 11,066' 1m & sh

11-10-69 Drlg. 11,780' 1m

11-17-69 TD 12,200'; Prep Run Liner

Drlg. Break 12,094-099'

11-24-69 Drlg. 12,268' 1m & sh

12-1-69 Drlg. 12,394' 1m
12-9-69 TD 12,612' dolo; Cond Hole
DST (Morrow) 12,200-612', open 1 hr 55 min,
(4000' oil cushion), oil cushion TS 11 min,
OTS 15 min, MTS 19 min (Flwd back oil cushion),
Flwd gas @ est 8.5 MMCFGPD + cond thru 5/8"
x 1/2" chks, SFP 1200-1500#, ISIP 6240#,
FP 2723-4340#, FSIP 6514#
12-15-69 TD 12,612'; MORT
Flwd to pits in 40 min thru 32/64" chk,
TP 1000#, 24 hr SITP 4000#
12-22-69 TD 12,612'; Prep Run Four Point Test
1-5-70 TD 12,612'; WO Potential
1-12-70 TD 12,612'; WO Potential

3-9-70 TD 12,612'; COMPLETE
LOC TOPS: Yates 2900', Queen 3895', San
Andres 4641', Glorieta 6070', Tubb 7470',
Abo 8158', Wolfcamp 9700', Strawn 11,473',
Morrow 12,088'
3-12-70 COMPLETION REPORTED

COUNTY LEA FIELD Vacuum, N. STATE NM MN 23288
 OPR MOBIL OIL CORP. MAP
130 Bridges - State
Sec 15, T-17-S, R-34-E CO-ORD
1980' FNL, 660' FEL of Sec

Re-Cmp 9-1-70 CLASS OWDF EL 4058

FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
13 3/8" at 339' w/495 sx			
9 5/8" at 4976' w/2300 sx			
7" lnr 4891-12,200' w/1600 sx			
LOGS EL GR RA IND HC A			
	TD 12,612'		

IF (Morrow) Perfs & OH 12,095-612' CAOF 27,000 MCFGPD, Grav (gas) .589; SIWHP 4914#

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 12,105' TYPE WO
 DATE

10-13-70 F.R.C. 10-15-70; Opr's Elev. 4058' DF
 PD 12,105' WO (Morrow)
 (Orig. comp 12-8-69 from OH 12,200-612',
 OTD 12,612')
 TD 12,612'; COMPLETE
 Perf @ 12,095', 12,097', 12,099', 12,101',
 12,103', 12,105' w/2 SPI
 (Morrow) FOUR POINT GAUGES:
 Flwd 3700 MCFGPD, 7.5/64" chk, 60 min, TP 4634#
 Flwd 5700 MCFGPD, 11/64" chk, 60 min, TP 4403#
 Flwd 7900 MCFGPD, 15/64" chk, 60 min, TP 4035#
 Flwd 11,000 MCFGPD, 21/64" chk, 60 min,
 TP 3367#
 10-15-70 COMPLETION REPORTED