

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐ **JUL 28 1981**
2. NAME OF OPERATOR  
Harvey E. Yates Company
3. ADDRESS OF OPERATOR  
P. O. Box 1933, Roswell New Mexico 88201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1980' FEL & 660' FSL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>

(other) Run 5 1/2" csg

5. LEASE  
NM-036852
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME  
Young Deep 3 Federal
8. FARM OR LEASE NAME
9. WELL NO.  
1
10. FIELD OR WILDCAT NAME  
No. Young Bone Spring
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 3, T-18S, R-32E
12. COUNTY OR PARISH  
Lea
13. STATE  
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3864.9 GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5/23/81 Ran 237 jts (9518.64') of 5 1/2" OD, 15.5# & 17#/ft J-55 & N80 casing & set @ 9505' KB. 39 jts 17# LT&C N80 - 1561.81'  
81 jts 17# LT&C J-55- 3249.06'  
117 jts 15.5# LT&C J-55 4707.77'  
237 jts - Total Pipe 9518.64'  
Cemented w/700 sx, 50-50 POZ, 2% Gel, 6# Salt, .3 of 1% CFR-2 Plug down @ 2:30 pm 5/22/81

6/03/81 Ran Cement Evaluation Log. Top of cement @ 5962'.

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Paul L. Lard*

TITLE Engineer

DATE July 27, 1981

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

ACCEPTED FOR RECORD  
ROGER A. CHAPMAN

(This space for Federal or State office use)

JUL 29 1981

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

\*See Instructions on Reverse Side